


Since 1968

cg

KochChemie®
ExcellenceForExperts.





Since 1968 Koch-Chemie stands for high-quality cleaning and care products in the fields of washing chemistry, detailing, workshop and industry. Tradition, which is characterized by constant improvements and attention to detail: Excellence for Experts.

We are one of the few companies in our industry that researches, produces and sells its own products. We identify ourselves with our corporate origin Germany with its high quality, social and environmental standards.

As a system provider, we have a complete range of products for the entire automotive sector. Customer-oriented service is as important to us as outstanding product quality.

We would like to thank you for the good cooperation, through which we have become what we are now.

Koch-Chemie is a system provider with perfectly coordinated products. The product system represents all chemical products. The abbreviations of the product names in combination with colour codes allow easy and quick orientation when working.



Alkaline cleaners											
pH 9,8 Cc											
pH 14 Coc	pH 12,5 Gss	pH 13,5 Pfe								Fragrances	
pH 13,4 Cs	pH 14,0 Lwe	pH 11,0 Pds	Cg	Df							
pH 12,8 Cs9	pH 12,5 Mzr	pH 7,0 Po	Cy	Dh							
Solvents											
pH 12,9 Csg	pH 13,9 Pa	pH 14,0 Pwe	Da	Dt	Eu	Pps					
SaAcid cleaners & rim cleaners											
pH 13,0 Cst	pH 13,9 Pan	pH 14,0 Ti	Dam	Dtr	Eum	Rkb	pH 14,0 Awh	pH -0,2 Fe	pH -0,2 Hr	Leather and plastic interior	
pH 13,0 Csv	pH 13,9 Pb	pH 13,5 Tr	Db	Do	Euv	Rkr	pH 0,0 Fa	pH -0,4 Ff	pH 0,0 Hrm	Csp	
pH 12,5 Gs	pH 13,4 Pbn	pH 10,2 Trb	Dc	Dos	Fw	Sil	pH 7,5 Fb	Fk	pH 5,5 Mwc	Guf	
pH 12,4 Gs9	pH 13,3 Pe	pH 13,1 Vb	Dcb	Fu	Gol	Tea	pH 13,4 Fba	pH 0,0 Fkv	pH 7,5 Rrr	Ls	
pH 9,5 Gsb	pH 13,3 Pen	pH 13,1 Vbn	Dcs	Kcr	Op	Tex	pH -0,2 Fcl	pH 0,0 Flb	pH -0,3 Ta	Ts	

Driers and conservers										Shampoos				Glass cleaners and water processing				Body and paint		
										pH 3,7 Ncp	pH 1,0 Aa	pH 5,5 Nms								
pH 4,5 Gv	pH 5,0 Nmp	pH 9,5 Af	pH 9,5 Pow								Asc	pH 2,5 Kfb	H9 ^{9,0} _{6,0}	P1 ^{1,0} _{9,5}	Qs					
pH 4,5 Hd	pH 5,0 Npp	pH 9,5 Afo	pH 12,0 Sf								Bs	pH 1,4 Kfl	H7 ^{7,5} _{3,0}	S0 ^{0,0} _{9,2}	Qf					
pH 4,5 Hgt	pH 4,5 Sgw	pH 9,0 As	pH 11,0 Sff								Mp	Cls	pH 13,5 Kfr	F6 ^{6,0} _{7,0}	S0 ^{0,0} _{9,9}	Wf				
pH 4,5 Hgt	pH 4,5 Sgw	pH 9,0 As	pH 11,0 Sff	Cv	Ps	Fr	pH 2,0 Kkl	P6 ^{6,0} _{8,0}	W0 ^{0,0} _{9,9}	Hlp										
pH 5,0 Mdc	pH 5,0 Nw	pH 8,0 Aw	pH 12,0 Sfn	Fs	Ps9	Gc	pH 14,0 Kp2	M3 ^{3,2} _{9,0}	1K ^{0,0} _{9,9}	Kfs										
pH 4,0 Pdc	pH 4,5 Pw	pH 4,5 Gw	pH 8,0 Tw	Gkg	Pss	Gf	Ng	P3 ^{3,2} _{9,5}	C0 ^{0,0} _{9,9}	Mep										
pH 7,0 Tdg	pH 4,5 Uw	pH 7,5 Gsf	pH 9,5 Wss	Gkv	Rfs	Gla	pH 7,0 We	P2 ^{2,0} _{9,3}	Fse	Pls										

Extension of the Elements.

New!



Shield & Gloss Wax
S. 37 — 462020

Heavy Cut H9.02
S. 88 — 458001



Pro Drying Towel
S. 160 — 9998160



Ceramic Allround CO.02
S. 92 — 506001



Foamer Bottle
S. 183 — 9998145



Interior Brush Set
S. 158 — 9998133



Gentle Hand Series
S. 127



Lasting Wheel Express
S. 26 — 446020

Headquarter




Due to the strong growth in recent years and the associated increased space requirements for production, warehousing and office space, we purchased an adjacent plot of land and building in mid-2015 and completely rebuilt it. This building complex houses the new logistics center, the administration and the multifunctional CompetenceCenter. Research, the laboratory and production remain at the original site from 1968.

Further construction work has been underway at the site in Unna since 2020. An additional office building is being constructed to provide sufficient space for the steadily growing workforce. Additional storage space and improved transport routes are also being built so that the site's logistics are also optimally prepared for the planned growth in the coming years.



Competence-Center



The CompetenceCenter is designed for new product development and training.

Product development

Dr. Ralf Münzenberg, Dr. Michael Hauber and their team extensively test and analyze new products here before they go to field tests at selected customers.

Training

Sales partners from all over the world come here to gain application and product knowledge. Customer training courses, workshops and specialist conferences are held on a regular basis. As a member of the German Association of Vehicle Preparation (BFA), we have developed a unique training system.

Vehicle preparation by and for experts


Two-day training in small groups (max. 6 participants) including detailed training documents, certification, drinks and lunch.

For questions about registration, special training courses (e.g. intensive paint training) and special dates, please contact us at T +49-23 03-9 86 70-0.



In 1968, Hans Koch began to develop his own recipes for polishes in his garage. He is dissatisfied with the poor quality of the car care products of his time. As a trained carpenter, he has a special passion for finished surfaces and cultivates attention to detail. The resulting products are of outstanding quality, so they are enthusiastically received by the experts, the commercial customers. In the course of the following years, a company grows that sets new standards on the market with innovative concepts in the fields of washing chemicals, vehicle preparation, and industrial and workshop floor cleaning. Through decades of continuous expansion of research and development, production and field service, Koch-Chemie is now a leading supplier of cleaning and care products for the entire automotive sector and supplies to over 70 countries worldwide.

Certificates and Approvals



Well-known automobile manufacturers such as Mercedes-Benz, BMW and VW as well as independent institutes have tested our products and approved them for worldwide use. We also have a complete VDA-compliant product line. A prerequisite for this is the consistent implementation of our quality and environmental

management system (DIN EN ISO 9001 and 14001). The high quality of our products is proven in daily practical use at countless car washes, car wash facilities, automobile factories, car dealerships, industrial plants and the largest vehicle processing companies.





Due to our intensive cooperation with the automotive industry, manufacturers of washing and process water treatment plants as well as several hundred customer contacts every day, we are always up to date with the latest market requirements. We use this information to develop innovative products and concepts in a targeted manner and optimize your results and processes. Furthermore, we are one of the few developers and producers from the large number of chemical suppliers a direct access to all innovations in the raw materials sector. Our comprehensive field service offers you competent and regular on-site support. Our employees will be pleased to support you in the areas of product application, process optimization, washing plant settings, waste and process water optimization as well as in environmental and occupational safety issues. All field staff are in possession of the certificate of competence for light liquid separator systems according to DIN 1999-100.

Sustainability that Is Practiced.

Being Green, Doing Green Business.

Economic and environmental sustainability go hand in hand at KCX. By means of ongoing assessment of our CO2 footprint, we are making our company more climate-friendly, for example by making transport routes more efficient, identifying energy-saving potential, introducing new options for waste avoidance, and implementing a wide range of other more sustainable solutions. In the future, we will also strive for a climate-neutral product portfolio. If CO2 emissions are unavoidable, we offset them by supporting climate protection projects. At the same time, we are also helping our customers to improve their environmental footprint, for example by reducing the use of fresh water in connection with our products – while maintaining strong, consistent performance.

Honesty with Certificate and Label.

We have made a conscious decision to use independent, already established labels and certifications and not to develop our own test marks. Behind the external labels that distinguish our products are strict, transparent guidelines with maximum credibility and significance, as our processes and goals are regularly reviewed.

Environmental Goals with DIN EN ISO 14001.

As early as 1989, with the launch of the Star range, Koch-Chemie took a pioneering role in sustainability and launched products on the market in accordance with DIN standard 14001. Since then, environmental goals and the well-being of this very nature have been firmly rooted in our corporate philosophy and our entire environmental management system has been certified according to DIN EN ISO 14001.

We use surfactants from renewable raw materials in the production of the various washing and care products. Furthermore, all surfactants and complexing agents used are easily biodegradable – even beyond the strict legal requirements. In formulations and production, Koch-Chemie dispenses with questionable ingredients such as halogenated hydrocarbons, EDTA and APEO. As a chemical manufacturer, our services also include ensuring that all customers and partners have the necessary documents for occupational safety and environmental protection. We therefore provide meaningful and correct operating instructions, safety data sheets and accident leaflets.

Climate Neutral Company with Climate Partner.

Climate Partner supports companies in calculating and reducing their CO2 footprint and fully offsetting any remaining emissions. Climate Partner's climate-neutral label guarantees complete transparency and authenticity: With the help of a unique ID number, consumers can trace without a doubt which measures Koch-Chemie is taking to reduce emissions, which climate protection projects we are supporting, and how much CO2 we are offsetting.

Biodegradable Chemistry.

One of our development focuses is the production of chemical products that behave sustainably in biological water treatment systems with regard to drinking water use. In practice, this means that KCX detergents break down easily, leaving behind above-average service water quality. This good service water is then used to save drinking water, as it partially – and sometimes even completely – replaces it in some places.

To ensure consistently good biodegradability, which will continue to improve in the future, we test our development products for their bioavailability in the biological process water treatment system at our KCX technical center. In addition, we have the independent laboratory SGS INSTITUT FRESENIUS determine the BOD5 (Biological Oxygen Demand after five days) and COD (Chemical Oxygen Demand) values of our formulations. From the ratio of these two parameters, we can then determine the biodegradation rate of the organic ingredients. In the case of KCX products for biological water treatment, this is already between 30 % and 40 % after five days.

very good	good	sufficient	insufficient
> 30%	20 – 30%	10 – 20%	< 10%

Table 1: Standard industry assessment of the BOD5 to COD ratio

Environmentally Friendly Products with Nordic Swan Ecolabel.

The Nordic Swan Ecolabel sets strict environmental requirements in all relevant phases of a product's life cycle. Particularly strict requirements apply to chemicals used. At the same time, however, the Nordic Swan Ecolabel also tests the effectiveness of products to ensure optimum consumption that protects our planet's resources. Packaging is also put through its paces: According to the Nordic Swan criteria catalog, this should contribute to a circular economy by paying attention to packaging design and material, for example. The label was introduced in Nordic countries as early as 1989, but is now an established environmental label beyond the borders of Scandinavia. With the help of the Nordic Swan Ecolabel, we are constantly working to establish a completely environmentally friendly product line.



On a Green Note: Climate Neutrality and Environmentally Friendly Products



Climate neutral company with the help of Climate Partner



Use of renewable energies



Electrification of the vehicle fleet



Volume reduction of waste



Support for climate protection projects



Consistent implementation of the quality and environmental management systems

Reduction of print media



Climate-neutral shipping with dpd



Vision of a climate-neutral product portfolio



Nordic Swan certified products



Easy biodegradability of products


Optimization of products to reduce drinking water consumption



Focus on occupational safety and environmental protection in the raw material selection and thus avoidance of questionable ingredients



Highly concentrated formulations for optimized dosage and reduced transport volumes



Environmentally friendly packaging alternatives



Car Wash

- 1.1 Pretreatment and Rim Cleaning
- 1.2 Foam and Shampoo
- 1.3 Drier and Conserver
- 1.4 Self-Service Car Washes
- 1.5 Commercial Vehicle Products
- 1.6 Service Water Processing
- 1.7 Hall Cleaning and Special Products
- 1.8 Scent and Color Concept



Perfect cleaning and drying results, unrivalled deep shine and sound advice inspire thousands of car wash operators. Our expert staff will be pleased to support you in car wash settings and process water optimisation as well as in environmental and occupational safety issues. We use surfactants from renewable raw materials. In addition, all surfactants and complexing agents are easily biodegradable beyond the strict legal requirements. We are a member of the Federal Association of Petrol Stations and Commercial Car Washes (Bundesverband Tankstellen und Gewerbliche Autowasche - BTG) and have a complete VDA-compliant product line as well as worldwide approvals from leading automobile manufacturers. In order to guarantee maximum efficiency and optimum results, each product is precisely calibrated and documented in a car wash protocol. Regular service checks by our field staff ensure a consistent, high washing result. Our aim: to increase your washing figures and average washing prices with the highest product quality and sales-promoting advertising material.



PreWash B

Precleaner & insect remover B

The highly concentrated, phosphate and HEDP free, highly alkaline pre-cleaner for car and truck pre-wash. The high proportion of complexing agents, surfactants and special additives dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt spontaneously and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Especially suitable for biological service water treatment. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

pH 13,9
Pb



- 11 kg 437011
- 23 kg 437023
- 225 kg 437225
- 1100 kg 437000

PreWash B NTA-frei

Precleaner & insect remover B NTA-free

The NTA-free version of PreWash B.

pH 13,4
Pbn

- 23 kg 445023
- 225 kg 445225
- 1100 kg 445000

pH 13,9
Pa**PreWash A**
Precleaner & insect remover A

The highly concentrated, phosphate-containing, low-foaming, highly alkaline pre-cleaner for car and truck pre-washing. The high proportion of complexing agents, surfactants, alkalis and special additives spontaneously dissolves even the most extreme adhesions such as insects, bird excrements, environmental and rim soiling and is therefore ideally suited in particular for car washes with short reaction times (e.g. express car washes with closed pre-wash circuit systems) as well as for alkaline wash bay cleaning. Due to the phosphate content it is only conditionally suitable for biological service water treatment plants. VDA-compliant class B: exposure time max. 1 min, max. application concentration 1:70

23 kg	310023
240 kg	310240
1150 kg	310000

pH 13,3
Pe**PreWash express**
Express precleaner

Highly concentrated, phosphate-free, high alkaline precleaner for prewashing cars and trucks. The combination of high-quality complexing agents and special surfactants dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

23 kg	261023
225 kg	261225
1100 kg	261000

pH 13,3
Pen**PreWash express NTA-frei**
Express precleaner, NTA-free

The NTA-free version of PreWash express.

23 kg	262023
225 kg	262225

pH 14
Pwe**PreWash Wheel express**
Pre & rim cleaner for express car wash

PreWash wheel express is the highly alkaline special cleaner for use in express high-pressure technology, e.g. in Holz washing systems. Due to its high alkalinity and very good performance as a dirt carrier, it can be used as a precleaner for insect solution and as a rim cleaner. PreWash wheel express has an extremely high water hardness tolerance, so that lines remain free of deposits and residues even with high water hardness. Its performance is designed for the high speed, i.e. short action times in express washing systems.



20 l	331020
200 l	331200

pH 13,1
Vb**Vorreiniger B**
Precleaner B

Highly concentrated, phosphate-free, alkaline, high foaming precleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30



5 l	211005
11 kg	211011
22 kg	211022
225 kg	211225
1100 kg	211000

Vorreiniger B NTA-frei
Precleaner B NTA-free

The NTA-free version of Precleaner B.

5l	248005
11kg	248011
23 kg	248023
225 kg	248225

pH 13,1
Vbn**Copo Star BMP-T**
Precleaner T

Highly concentrated, phosphate- and NTA-free, alkaline, high foaming precleaner for car and truck prewashing for removing insects, bird droppings, environmental, engine and rim dirt. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:5



10 kg	52010
21 kg	52021
218 kg	52218

pH 13
Cst

pH 13
Csv

Copo Star BMP V
Precleaner V

The VW approved version of Copo Star BMP-T.

21 kg 272021

pH 12,5
Gs

Green Star
Universal cleaner

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3

- 1 l 25001
- 5 l 25005
- 11 kg 25011
- 22 kg 25022
- 225 kg 25225

pH 14
Lwe

Lasting Wheel Express
pH-value stabilizing rim cleaner

Lasting Wheel express is the new strong alkaline wheel cleaner for use in express car washes with recirculating soak sheets. Furthermore applicable in circulation systems with pH-value adjustment. It is added to the pre-soak arch as a special rim cleaner and spontaneously dissolves the brake dust there, so that the rims are already very well cleaned in the high-pressure express area. The high alkalinity, combined with good dirt carriers and corrosion protection ensure extremely good and mild cleaning of steel parts, such as brake discs. In addition to cleaning the rims, the cleaner has a pH-stabilizing effect for the water supply of the soaking sheet, in order to prevent microbiological contamination here and the rotten smell that often occurs as a result. The pH value in chamber systems can be adjusted to the pH value around 11 and kept stable with the adapted dosing by means of dosing mixing systems (Hydrominder) or by means of the electrode control.



20 l 446020

pH 14
Awh

Alkali Wheel Cleaner
Rim Cleaner alkaline



The powerful, alkaline wheel cleaner with exceptional dirt absorption capabilities and cleaning power. Using a complex combination of special dirt carriers and an alkaline solution, the dirt resulting from brake abrasion is quickly dissolved and dispersed, similarly to acidic wheel cleaners. The rim well is also thoroughly cleaned after just one application. The Alkali Wheel Cleaner generates minimal foam for excellent moistening and minimal fogging. These properties make it possible to quickly and thoroughly clean the wheels without irritating skin.

5 kg 411005
25 kg 411025

Felgenblitz alkalisch
Rim cleaner alkaline, viscous

Powerful highly alkaline rim cleaner with excellent dirt absorption and cleaning performance on the basis of a special dirt carrier for all alkali-resistant aluminium and steel rims. Burned in brake dusts and environmental dirt are removed quickly and thoroughly. The viscous setting leads to long adhesion and interaction. With water repelling effect and gloss additives. Free from organic complexing agents and phosphates. With Daimler approval. VDA conform to class B: reaction time max. 1 min, maximum application concentration 1:20

22 kg 274022
210 kg 274210

Felgenblitz säurefrei
Rim cleaner, neutral, viscous

Powerful pH neutral rim cleaning gel on the basis of a special neutral ingredient. Burned in brake dusts, rust traces and other inorganic dirt are removed thoroughly and gently. The viscous setting leads to long adhesion and interaction. The effectiveness is made visible by the indicator (red colouring). With water repelling effect and gloss additives.

5 l 218005
11 kg 218011
19 kg 218019

Reactive Rust Remover
Rust Remover acidfree

This powerful, pH-neutral cleaner is made with reactive agents and extra high performance detergents. Superficial rust, metal particles, burnt-in brake dust and other non-organic pollutants are swiftly and thoroughly cleaned away. Gentle for materials. Components are harmonised for a longer contact time / moisturisation, so that the reactive agents can dissolve tough stains and burnt-in particles effectively. The cleaner, once it has dissolved the dirt, turns violet in colour. The special surfactants in the formula coat and disperse the partially dissolved dirt, so it is easy to rinse it off.

500 ml 359500
11 kg 359011

pH 13,4
Fba

pH 7,5
Fb

pH 5,5
Rrr

pH 0
Fk

Felgenreiniger K
Rim cleaner, acidic

12 kg	6012
23 kg	6023
250 kg	6250
1200 kg	6000

The strong phosphoric acid based rim cleaner for all acid resistant materials. Brake dusts and other inorganic soiling are removed quickly and thoroughly. Special corrosion inhibitors reduce the corrosion of the brake calipers. Also perfectly suitable for use in wheel washing machines.

pH 0
Fkv

Felgenreiniger K viskos
Rim & stainless steel cleaner, acidic, viscous

12 kg	233011
23 kg	233023
240 kg	233240

Heavily phosphoric acid based cleaner for all acid-resistant materials (rims, stainless steel surfaces, etc.). Brake dusts and other inorganic dirt such as limescale are removed quickly and thoroughly. The highly viscous setting leads to long adhesion and thus long interaction on the surfaces and reduces aerosol formation (safe working). A special additive delays drying and corrosion inhibitors reduce corrosion of the brake callipers.

pH -0,2
Fcl

Felgenreiniger CL
Rim & washing bay cleaner, acidic

23 kg	247023
225 kg	247225

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust stains, limescale, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. The optimal combination of cleaning performance and material compatibility.

pH -0,3
Ta

Triple Acid Star
3-acid hammer

11 kg	242011
23 kg	242023
225 kg	242225

The extremely powerful, acidic salt, phosphorus and ammonium bifluoride based rim cleaner for all acid resistant aluminium and steel rims. Burnt-in brake dust, rust film, environmental and other inorganic dirt is removed extremely quickly and thoroughly. Even static dirt is effectively removed.

pH -0,2
Fe

Felgenreiniger extrem
Rim cleaner, acidic, extreme



Extremely acidic hydrochloric acid based special cleaner for all hydrochloric acid resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust bloom, limescale, cement residues, environmental dirt and other inorganic dirt are removed very quickly and thoroughly.

11 kg	187011
22 kg	187022
225 kg	187225

Wash & Finish
Waterless wash



Special-purpose product for quick and easy external cleaning of slightly to moderately dirty vehicles without water. Cleans, cares for and seals vehicle paints, glass, plastic parts, rims, etc. in a single step. Innovative cleaning and care components clean the surfaces gently, leaving them with a glossy, non-streaky and hydrophobic finish. Previously applied polishes and waxes are retained.

10 l	317010
20 l	317020



Combination Products

pH 8
Twv

Twin Shampoo V
Foam & shampoo V

Concentrated, phosphate- and NTA-free, fragrant combination product (foam and shampoo) for gantry washing systems, wash systems, self-service carwashes and hand washing. The high proportion of surfactants guarantees voluminous foam and intensive and paint-protecting cleaning performance and supports self-cleaning and thus the service life of the bristles. Selected amphoteric surfactants prepare drying optimally. Premium special aromatics ensure a pleasant fruity scent. Optimally suited as well for biological service water treatment plants. With Volkswagen approval. VDA conform to class A.

21 kg 273021

pH 8
Tw

Twin Shampoo
Foam & shampoo

Concentrated, phosphate- and NTA-free, fragrant combination product (foam and shampoo) for gantry washing systems, wash systems, self-service carwashes and hand washing. The high proportion of surfactants guarantees voluminous foam and intensive and paint-protecting cleaning performance and supports self-cleaning and thus the service life of the bristles. Selected amphoteric surfactants prepare drying optimally. Premium special aromatics ensure a pleasant fruity scent. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A.



21 kg 177021
210 kg 177210

Active Foam
Aromatic intensive foam

Highly concentrated, phosphate- and NTA-free foam with intensive aroma for gantry washing systems, wash systems, self-service carwashes and hand washing. The extremely high ratio of anionic surfactants creates a unique foam formation as well as an intensive and paintwork protecting cleaning performance and supports the self-cleaning and therefore the service life of the brushes. The attractive and long-lasting odour of sandalwood provides an intensive fragrance experience. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:100

10 kg 282010
21 kg 282021
210 kg 282210

pH 9,5
Af

Active Foam Spring
Intensive foam with spring scent

The fresh spring version of Active Foam.

21 kg 320021

pH 9,5
Afs

Active Foam X-Mas
Intensive foam with Christmas scent

The Christmas version of Active Foam. Is only produced after pre-orders at the end of November.

10 kg 293010
21 kg 293021

pH 9,5
Afx

Active Foam Ocean
Intensive foam

Highly concentrated, phosphate- and NTA-free foam with intensive aroma for gantry washing systems, wash systems, self-service carwashes and hand washing. The extremely high ratio of anionic surfactants creates a unique foam formation as well as an intensive and paintwork protecting cleaning performance and supports the self-cleaning and therefore the service life of the brushes. The fresh and long-lasting odour provides an intensive fragrance experience. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:100



21 kg 459021
210 kg 459210

pH 9,5
Afo

pH 1
Aa

Acid Shampoo A
Acid Car Wash Shampoo A



Concentrated acid shampoo for gantry car washes and tunnel car washes with conventional process-water treatment. The combination of mild acids and foaming surfactants guarantees gentle but thorough cleaning of vehicles, bonds to water-hardening elements, prevents limescale, and neutralises both the vehicle surface and the alkaline process water from the precleaning stage. Boosts self-cleaning and therefore the service life of brushes. Selected surfactants provide optimum preparation for drying. Encourages rapid sedimentation of dirt. Limited suitability for biological process-water treatment systems due to phosphate content.

22 kg **311022**
225 kg **311225**

pH 9,5
Pow

Power-Schaum
Intensive foam



The highly concentrated, phosphate and NTA-free intensive foam for gantry car washes, car washes, self-service systems and hand washing. The extremely high proportion of anionic surfactants produces a unique foam pattern, an intensive and paint-friendly cleaning performance and supports self-cleaning and thus the service life of the brushes. The fresh citrus scent provides a pleasant fragrance. Also ideally suited for biological service water treatment plants. VDA-compliant class A: exposure time max. 5 min, max. application concentration 1:100

21 kg **250021**
210 kg **250210**

Shampoos

pH 9,5
Wss

Washstraßen-Shampoo spezial BMP
Car wash shampoo



Concentrated, phosphate- and NTA-free shampoo for gantry washing systems and wash systems. The combination of non-ionic, amphoteric and anionic surfactants and regreasing components guarantees careful, thorough cleaning and protects the paintwork. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:100.

21 kg **156021**
210 kg **156210**

Aktivwäsche
Active shampoo

11 kg **10011**
21 kg **10021**
210 kg **10210**

Concentrated, phosphate- and NTA-free active shampoo for gantry washing systems, wash systems and hand washing. The combination of anionic and non-ionic surfactants and replenishing components guarantees careful, thorough cleaning and protects the paintwork. Optimally suited as well for biological service water treatment plants. VDA conform to class A.

pH 8
Aw

Autoshampoo
Vehicle shampoo



Phosphate and NTA-free vehicle shampoo for gantry washing systems, wash systems and hand washing. The combination of anionic and non-ionic surfactants guarantees mild and thorough cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class A.

11 kg **13011**
21 kg **13021**
210 kg **13210**

pH 9
As



Drier

pH 5
Mdc

Magic Dry & Care
HighTec conserving dryer

The innovative high-tech conserving dryer generates a lightning fast breakup of the water film, a unique drip impulsion and thus a drying experience free of microbeads. Highly specialised reactive components bond tightly to the surface and generate a high-gloss, hydrophobic, nanoscale protective layer that protects against environmental factors for a long period and makes a considerable contribution to maintaining the value of the vehicle. Thanks to the long-life, colour-refreshing maintenance and protection of the paintwork, plastics and convertible fabric roofs. Can also be used hot, cold and foam wax. The hydrophobising of the glass surfaces leads to improved visibility in the rain (no smearing effect). Magic Dry & Care achieves optimum results even with high service water conductance and with difficult fan geometries. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A. With Daimler approval.

- 10 l 190010
- 20 l 190020
- 210 l 190210



Hochglanztrockner
Rinse-off agent H

- 10 l 178010
- 20 l 178020
- 210 l 178210

Special care product for underbody protection in carwashes. With regular use the vehicle underbody is protected against aggressive environmental factors (eg salt) and therefore against corrosion. Thanks to enhanced flow properties even areas that are difficult to reach are conserved. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

pH 4,5
Hgt

Powerful Dry & Care
Hardness-stable HighTec Conservation Dryer

The silicone-free HighTec conserving dryer Powerful Dry & Care generates a fast breakup of the water film, a very good drip drive and thus a microbead-free drying result even with high water hardness. The right combination of care components and surfactants prevents film formation of the care substances as well as deposits caused by external factors such as limescale and other salts. The hardness-stable conserving dryer achieves optimum results even with high conductivity values of the water and with difficult blower geometries. Also optimally suited for biological service water treatment systems. Contains no mineral oil hydrocarbons. VDA-compliant class A.

pH 4,0
Pdc



- 20 l 451020


Glanztrockner V
Rinse-off agent V

- 20 l 271020

The high-quality drying aid with gloss additives. Innovative care and water-repellent components ensure a fast, even with critical water values, a fast, flat opening and a good drying result. Also ideally suited for biological service water treatment systems. Contains no mineral oil hydrocarbons or silicone derivatives. VW approved. VDA-compliant class A.

pH 4,5
Gv

Polish

pH 3,7
Ncp**NanoCrystal Polish**
Foam gloss polish C

Foaming polish based on an innovative micro-emulsion for mechanical vehicle care. Thanks to optimal foam formation, carwash customers can experience care visibly. Premium, hydrophilic reactive and care components give paintwork a brilliant deep gloss and protect all paintwork, rubber and plastic surfaces against aggressive environmental factors over a long period. Also, extremely well-suited for care of convertible fabric tops. Drying is prepared optimally through the perfect surface finish. Surfactants in the product support the self-cleaning properties of the washing materials. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

10 kg **241010**
21 kg **241021**
210 kg **241210**

pH 5,5
Nmp**NanoMagic Polish**
Foam gloss polish M

Heavily foaming innovative micro-emulsion with excellent cleaning performance with simultaneous long-lasting high-gloss protection. NanoMagic Polish is used as foam gloss polish and/or brush shampoo. Thanks to voluminous foam formation, carwash customers can experience care visibly. Premium, hydrophobic reactive and care components give paintwork a brilliant deep gloss and protect all paintwork, rubber and plastic surfaces against aggressive environmental factors over a long period. Extremely well-suited as well for care of convertible fabric tops. Drying is prepared optimally through the perfect surface finish. Surfactants in the product support the self-cleaning properties of the washing materials. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

21 kg **210021**
210 kg **210210**

Wax

pH 4,5
Sgw**Shield & Gloss Wax***Premium protection wax with high-gloss additives*

The premium conserving wax with high-gloss additives and long-term care effect. The unique composition of the care components ensures an extreme deep gloss, long-term hydrophobicity (beading effect on paint, glass and plastic) and velvety soft feel. The fruity cherry scent provides an intense fragrance experience. The protective layer formed on the vehicle by the Shield & Gloss Wax covers small scratches. In the event of rain, it also ensures good visibility through a rapid drip on glass surfaces. The protective effect of the premium conserving wax prevents fading and embrittlement of plastic parts and impregnates convertible roofs. Regular application contributes significantly to maintaining the value of the vehicle. The application results in spontaneous cracking and microbead-free drying. The formation of undesirable deposits in the pipe systems is reduced. The highly concentrated formulation allows extremely economical product use. Suitable for all biological service water treatment systems. VDA conform to class A.

20 l **462020**

NanoMagic Twin Wax*High-Tech protection wax*

20 l **220020**
210 l **220210**

High-gloss, lotus effect and protection. The innovative high-tech conserving wax sets new standards in matters of protection, durability, extreme deep gloss, long-term water repellence (lotus effect), easy-to-clean performance and vehicle drying without micro-beading. The use of polyfunctional reactive components in combination with highest quality care components, which bond firmly with the surfaces as a network, guarantee perfect long-lasting high-gloss protection and improved visibility during rain (beading). Improves with regular use the gloss and protection layer, covers fine scratches and all rubber and plastic parts as well as convertible fabric top materials are protected against fading and embrittlement. ProtectorWax thus makes a considerable contribution to maintaining the vehicle's value. Can be used as hot, cold and foam wax (mechanically and manually). Achieves optimum drying results even with high conductance values of the service water and with difficult fan geometries. Optimally suited for standard as well as for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

Unterbodenwachs*Underbody wax, concentrated*

20 l **213020**

Special care product for underbody protection in carwashes. With regular use the vehicle underbody is protected against aggressive environmental factors (eg salt) and therefore against corrosion. Thanks to enhanced flow properties even areas that are difficult to reach are conserved. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

pH 5
NwpH 4,5
Uw



Self-Service Car Washes

pH 11
Pds**Powder Star**
Cleaning powder

Highly effective, high foaming cleaning powder based on phosphates that is careful on surfaces for self-service carwashes and high-pressure appliances with powder dosing devices. The combination of high-quality special surfactants and complexing agents loosens even stubborn dirt, such as insects, bird droppings and environmental dirt extremely quickly. Cleaning powder is characterised by its good flowability and quick dissolving. With an intensive, pleasant fragrance. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:100.

25 kg 227025

pH 13,1
Vb**Vorreiniger B**
Precleaner B

Highly concentrated, phosphate-free, alkaline, high foaming precleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

5 l 211005
11 kg 211011
22 kg 211022
225 kg 211225
1100 kg 211000

pH 13,1
Vbn**Vorreiniger B NTA-frei**
Precleaner B NTA-free

The NTA-free version of Precleaner B.

5 l 248005
11 kg 248011
23 kg 248023
225 kg 248225

Super Foam*Cleaning Foam for Self-Wash stations*

The extremely foamy, alkaline active foam with an intense fruity aroma for self-service car wash stations and use in foam guns. Super Foam constitutes an incomparable foam cleaning experience for your vehicle and leaves a long-lasting scent in the cleaning area. Its alkaline pH and highly effective ingredients remove the dirt and ensure a high-quality cleaning performance. The foam encapsulates the dirt and can easily be rinsed off so that the vehicle is cleaned by high pressure which is gentle on the paintwork. VDA-compliant class A: treatment time max. 5 minutes, max. application concentration 1:50

11 kg 396011
22 kg 396022
210 kg 396210

pH 12
Sf**Active Foam***Aromatic intensive foam*

Highly concentrated, phosphate- and NTA-free foam with intensive aroma for gantry washing systems, wash systems, self-service carwashes and hand washing. The extremely high ratio of anionic surfactants creates a unique foam formation as well as an intensive and paintwork protecting cleaning performance and supports the self-cleaning and therefore the service life of the brushes. The attractive and long-lasting odour of sandalwood provides an intensive fragrance experience. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:100

10 kg 282010
210 kg 282210

pH 9,5
Af**Active Foam Spring***Intensive foam with spring scent*

The fresh spring version of Active Foam.

21 kg 320021

pH 9,5
Afs**Active Foam X-Mas***Intensive foam with Christmas scent*

The Christmas version of Active Foam. Is only produced after pre-orders at the end of November.

10 kg 293010
21 kg 293021

pH 9,5
Afx**Active Foam Ocean***Intensive foam*

Highly concentrated, phosphate- and NTA-free foam with intensive aroma for gantry washing systems, wash systems, self-service carwashes and hand washing. The extremely high ratio of anionic surfactants creates a unique foam formation as well as an intensive and paintwork protecting cleaning performance and supports the self-cleaning and therefore the service life of the brushes. The fresh and long-lasting odour provides an intensive fragrance experience. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:100

21 kg 459021
210 kg 459210

pH 9,5
Afo

pH 9,5
Pow

Power-Schaum
Intensive foam

The highly concentrated, phosphate and NTA-free intensive foam for gantry car washes, car washes, self-service systems and hand washing. The extremely high proportion of anionic surfactants produces a unique foam pattern, an intensive and paint-friendly cleaning performance and supports self-cleaning and thus the service life of the brushes. The fresh citrus scent provides a pleasant fragrance. Also ideally suited for biological service water treatment plants. VDA-compliant class A: exposure time max. 5 min, max. application concentration 1:100



21 kg 250021
210 kg 250210

pH 8
Tw

Twin Shampoo
Foam & shampoo

Concentrated, phosphate- and NTA-free, fragrant combination product (foam and shampoo) for gantry washing systems, wash systems, self-service carwashes and hand washing. The high proportion of surfactants guarantees voluminous foam and intensive and paint-protecting cleaning performance and supports self-cleaning and thus the service life of the bristles. Selected amphoteric surfactants prepare drying optimally. Premium special aromatics ensure a pleasant fruity scent. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A.



21 kg 177021
210 kg 177210

pH 4,5
Sgw

Shield & Gloss Wax
Premium protection wax with high-gloss additives

The premium conserving wax with high-gloss additives and long-term care effect. The unique composition of the care components ensures an extreme deep gloss, long-term hydrophobicity (beading effect on paint, glass and plastic) and velvety soft feel. The fruity cherry scent provides an intense fragrance experience. The protective layer formed on the vehicle by the Shield & Gloss Wax covers small scratches. In the event of rain, it also ensures good visibility through a rapid drip on glass surfaces. The protective effect of the premium conserving wax prevents fading and embrittlement of plastic parts and impregnates convertible roofs. Regular application contributes significantly to maintaining the value of the vehicle. The application results in spontaneous cracking and microbead-free drying. The formation of undesirable deposits in the pipe systems is reduced. The highly concentrated formulation allows extremely economical product use. Suitable for all biological service water treatment systems. VDA conform to class A.



20 l 462020

NanoMagic Twin Wax
High-Tech protection wax

The high-tech conserving wax with high performance in protection, durability, deep gloss, long-term water repellence (lotus effect), easy-to-clean effect and vehicle drying without micro-beading. The use of polyfunctional reactive components in combination with care components, which bond firmly with the surfaces as a nano-network, guarantee long-lasting high-gloss protection and improved visibility during rain (no smearing). With regular use NanoMagic Twin Wax maintains and waterproofs all rubber and plastic parts as well as convertible fabric top materials and prevents fading and embrittlement. NanoMagic Twin Wax thus makes a considerable contribution to maintaining the vehicle's value. Can be used as hot, cold and foam wax (mechanically and manually). Achieves optimum results even with high conductance values of the service water and with difficult fan geometries. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.



20 l 220020
210 l 220210

pH 5
Nw

pH 5
Mdc**Magic Dry & Care***HighTec conserving dryer*

The innovative high-tech conserving dryer generates a lightning fast breakup of the water film, a unique drip impulsion and thus a drying experience free of microbeads. Highly specialised reactive components bond tightly to the surface and generate a high-gloss, hydrophobic, nanoscale protective layer that protects against environmental factors for a long period and makes a considerable contribution to maintaining the value of the vehicle. Thanks to the long-life, colour-refreshing maintenance and protection of the paintwork, plastics and convertible fabric roofs. Can also be used hot, cold and foam wax. The hydrophobising of the glass surfaces leads to improved visibility in the rain (no smearing effect). Magic Dry & Care achieves optimum results even with high service water conductance and with difficult fan geometries. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A. With Daimler approval.

10 l 190010
20 l 190020
210 l 190210

pH 4,5
Hgt**Hochglanz Trockner***Rinse-off agent H*

Special care product for underbody protection in carwashes. With regular use the vehicle underbody is protected against aggressive environmental factors (eg salt) and therefore against corrosion. Thanks to enhanced flow properties even areas that are difficult to reach are conserved. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

10 l 178010
20 l 178020
210 l 178210

pH 5,5
Nmp**NanoMagic Polish***Foam gloss polish M*

Heavily foaming innovative micro-emulsion with excellent cleaning performance with simultaneous long-lasting high-gloss protection. NanoMagic Polish is used as foam gloss polish and/or brush shampoo. Thanks to voluminous foam formation, carwash customers can experience care visibly. Premium, hydrophobic reactive and care components give paintwork a brilliant deep gloss and protect all paintwork, rubber and plastic surfaces against aggressive environmental factors over a long period. Extremely well-suited as well for care of convertible fabric tops. Drying is prepared optimally through the perfect surface finish. Surfactants in the product support the self-cleaning properties of the washing materials. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.



21 kg 210021
210 kg 210210

pH 12
Sfn**Super Foam NTA-frei***Cleaning Foam for Self-Wash stations**NTA-free*

The extremely foamy, alkaline active foam with an intense fruity aroma for self-service car wash stations and use in foam guns. Super Foam NTA frei constitutes an incomparable foam cleaning experience for your vehicle and leaves a long-lasting scent in the cleaning area. Its alkaline pH and highly effective ingredients remove the dirt and ensure a high-quality cleaning performance. The foam encapsulates the dirt and can easily be rinsed off so that the vehicle is cleaned by high pressure which is gentle on the paintwork. VDA-compliant class A: treatment time max. 5 minutes, max. application concentration 1:50



10 l 421010
210 l 421020

Super Foam Fruit Bowl*Cleaning Foam for Self-Wash stations*

The extremely foamy, alkaline active foam with a fruity fresh aroma for self-service car wash stations and use in foam guns. Super Foam constitutes an incomparable foam cleaning experience for your vehicle and leaves a long-lasting scent in the cleaning area. Its alkaline pH and highly effective ingredients remove the dirt and ensure a high-quality cleaning performance. The foam encapsulates the dirt and can easily be rinsed off so that the vehicle is cleaned by high pressure which is gentle on the paintwork. VDA-compliant class A: treatment time max. 5 minutes, max. application concentration 1:50




20 l 253020

pH 11
Sff

pH 13,9
Pb

PreWash B
Precleaner & insect remover B



Highly concentrated, phosphate-free, high alkaline precleaner for cars and trucks. The high proportion of complexing agents, surfactants and special additives dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt spontaneously and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

11 kg	437011
23 kg	437023
225 kg	437225

pH 13,9
Pa

PreWash A
Precleaner & insect remover A

The highly concentrated, phosphate-containing, low-foaming, highly alkaline pre-cleaner for car and truck pre-washing. The high proportion of complexing agents, surfactants, alkalis and special additives spontaneously dissolves even the most extreme adhesions such as insects, bird excrements, environmental and rim soiling and is therefore ideally suited in particular for car washes with short reaction times (e.g. express car washes with closed pre-wash circuit systems) as well as for alkaline wash bay cleaning. Due to the phosphate content it is only conditionally suitable for biological service water treatment plants. VDA-compliant class B: exposure time max. 1 min, max. application concentration 1:70

23 kg	310023
240 kg	310240
1150 kg	310000

PreWash express
Express precleaner

Highly concentrated, phosphate-free, high alkaline precleaner for prewashing cars and trucks. The combination of high-quality complexing agents and special surfactants dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

23 kg	261023
225 kg	261225
1100 kg	261000

pH 13,3
Pe

pH 13,4
Pbn

PreWash B NTA-frei
Precleaner & insect remover B NTA-free

The NTA-free version of PreWash B.



23 kg	445023
225 kg	445225
1100 kg	445000

PreWash express NTA-frei
Express precleaner NTA-free

The NTA-free version of PreWash express.



23 kg	262023
225 kg	262225

pH 13,3
Pen

pH 13,1
Vb

Vorreiniger B
Precleaner B

Highly concentrated, phosphate-free, alkaline, high foaming pre-cleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

5 l	211005
11 kg	211011
22 kg	211022
225 kg	211225
1100 kg	211000

pH 13,1
Vbn

Vorreiniger B NTA-frei
Precleaner B NTA-free

The NTA-free version of Precleaner B



5 l	248005
11 kg	248011
23 kg	248023
225 kg	248225

pH 13
Cst

Copo Star BMP-T
Precleaner T

Highly concentrated, phosphate- and NTA-free, alkaline, high foaming pre-cleaner for car and truck prewashing for removing insects, bird droppings, environmental, engine and rim dirt. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:5

10 kg	52010
21 kg	52021
218 kg	52218

pH 13
Csv

Copo Star BMP V
Precleaner V

The VW approved version of Copo Star BMP-T.

21 kg	272021
-------	---------------

Green Star
Universal cleaner

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3

1 l	25001
11 kg	25011
22 kg	25022
225 kg	25225

pH 12,5
Gs


Truck Dry & Gloss
Rinse-off dryer premium

Premium run-off dryer for commercial vehicle and bus washing installations without a drying fan. The hydrophilic property causes the water to run off in a thin film, leaving behind no streaks or staining. With Daimler approval. Meets VDA class A.



20 l	456020
------	---------------


pH 7,0
Tdg



Alkali Wheel Cleaner
Rim Cleaner alkaline

The powerful, alkaline wheel cleaner with exceptional dirt absorption capabilities and cleaning power. Using a complex combination of special dirt carriers and an alkaline solution, the dirt resulting from brake abrasion is quickly dissolved and dispersed, similarly to acidic wheel cleaners. The rim well is also thoroughly cleaned after just one application. The Alkali Wheel Cleaner generates minimal foam for excellent moistening and minimal fogging. These properties make it possible to quickly and thoroughly clean the wheels without irritating skin.

- 5 kg 411005
- 25 kg 411025



Felgenblitz alkalisch
Rim cleaner alkaline, viscous

Powerful highly alkaline rim cleaner with excellent dirt absorption and cleaning performance on the basis of a special dirt carrier for all alkali-resistant aluminium and steel rims. Burned in brake dusts and environmental dirt are removed quickly and thoroughly. The viscous setting leads to long adhesion and interaction. With water repelling effect and gloss additives. Free from organic complexing agents and phosphates. With Daimler approval. VDA conform to class B: reaction time max. 1 min, maximum application concentration 1:20


- 22 kg 274022
- 210 kg 274210



Felgenreiniger CL
Rim & washing bay cleaner, acidic

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust stains, limescale, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. The optimal combination of cleaning performance and material compatibility.


- 23 kg 247023
- 225 kg 247225



Felgenreiniger extrem
Rim cleaner, acidic, extreme

Extremely acidic hydrochloric acid based special cleaner for all hydrochloric acid resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust bloom, limescale, cement residues, , environmental dirt and other inorganic dirt are removed very quickly and thoroughly.

- 11 kg 187011
- 22 kg 187022
- 225 kg 187225



Flugrostentferner BMP
Rust bloom remover, highly concentrated

Highly concentrated powerful, acidic cleaner for removing inorganic dirt such as rust bloom, limescale, brake particles, etc., from acid-resistant surfaces such as paint, glass, ceramic and metal parts. Corrosion inhibitors protect temporarily against corrosion. With Daimler approval.




- 12 kg 224012
- 23 kg 265023
- 250 kg 224250

Tankinnenreiniger BL
Tank interior cleaner, alkaline

Alkaline, foam-inhibited special cleaner for quick and thorough inside cleaning of alkali-resistant tanks, silos, containers, IBCs, etc. Oil, greases, proteins, dust, powder, plastic granules, etc., are quickly loosened and removed without trace. Because of its extreme foam-inhibited setting and fast rinsability extremely economical with water in the rinsing process. Approved for cleaning in the food sector (Dekra tested).

- 23 kg 258230
- 230 kg 258230
- 1100 kg 258000



Ken

KocEntschäumer
Defoamer concentrate

The highly concentrated, fast and very effective defoamer. It eliminates or prevents undesired foam formation in oversoaped industrial water treatment plants, cooling lubricant circuits and strongly foaming cleaning solutions (e.g. when used in spray extraction equipment, automatic floor cleaning machines, parts cleaning machines, etc.) Even a very small amount causes the existing foam to collapse spontaneously or not to form at all.

1 kg 189001

pH 2
Kkl**KocKlar**
Process water disinfection P

Special product on the basis of active oxygen for the effective elimination of odours (odour-forming, anaerobic bacteria) in industrial water treatment and waste water treatment plants. Suitable for shock treatment and continuous feeding. KocKlar is not an additional load for the process water. It can even reduce the biological and chemical oxygen demand (COD/BOD). Not suitable for introduction into biological process water treatment plants.

20 kg 75020

pH 14
Kp2**KocPlus 25 %**
ph-value lifter

Sodium hydroxide (25%) based product for the regulation (increase) of the pH-value in industrial water treatment and waste water treatment plants. The pH value increase is recommended for the following areas of application: compliance with municipal discharge conditions; regulation after acidic cleaning work; for permanent adjustment of the process water in process water treatment plants. The optimum pH value range for conventional systems (flocculation) and biological systems is 7 to 8. Daimler approved.

23 kg 74023
250 kg 74250pH 1,4
Kfl**KocFloc**
Flocculation agent A

The highly concentrated flocculation and precipitation agent based on aluminium hydroxychloride for use in industrial water treatment and waste water treatment plants. Finest dirt particles combine to large flocs and are removed from the waste water by precipitation (sedimentation in the sludge trap) and/or filtration. Not suitable for use in biological process water treatment plants.

25 kg 74025

KocFloc Bio Clear
Flocculation agent B

Concentrated flocculation and precipitation agent, based on aluminium nitrate, for use in industrial water treatment and waste water treatment plants. Finest dirt particles combine to large flocs and are removed from the waste water by precipitation (sedimentation in the sludge trap) and/or filtration. Compared to other flocculants, KocFloc Bio Clear does not introduce any corrosion-causing chlorides and aerobic microorganisms are promoted (prevention of odours). Not suitable for use in biological service water treatment plants.

pH 2,5
Kfb

23 kg 243023

Regenit-Salz
Regeneration salt tablets

Electrolyte solution for increasing water hardness or conductivity in rainwater and very soft surface water. By using KocElektrolyt, shampoos and other strongly wetting detergents are rinsed off more thoroughly during the rinse cycle, thus considerably improving the drying result.

25 kg 19025

Bs



pH0
Hrm

Hallenreiniger mild-sauer

Workshop & stainless steel cleaner, acidic

Mild cleaner based on phosphoric acid for all acid-resistant surfaces such as washing bay tiles, stainless steel units, plastic facings, etc. Limescale, environmental dirt, rust blooms and other inorganic dirt are removed quickly and thoroughly. Has extremely good material compatibility. Contains no fluoric or hydrochloric acid, and no bifluoride, and is therefore suitable for use in biological service water treatment plants (in strict accordance with the default pH values).

23 kg 301023

pH0
Fkv

Felgenreiniger K viskos

Rim & stainless steel cleaner, acidic, viscous

Heavily phosphoric acid based cleaner for all acid-resistant materials (rims, stainless steel surfaces, etc.). Brake dusts and other inorganic dirt such as limescale are removed quickly and thoroughly. The highly viscous setting leads to long adhesion and thus long interaction on the surfaces and reduces aerosol formation (safe working). A special additive delays drying and corrosion inhibitors reduce corrosion of the brake callipers.

23 kg 233023
240 kg 233240

Hallenreiniger sauer

Washing bay cleaner, acidic

pH -0,2
Hr

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant surfaces such as washing bay tiles, etc. Limescale, environmental dirt, rust bloom and other inorganic dirt are removed very quickly and thoroughly. Contains no fluoric acid, and no bifluoride, and is therefore suitable for use in biological service water treatment plants (in strict accordance with the default pH values).



23 kg 265023

Felgenreiniger CL

Rim & washing bay cleaner, acidic

pH -0,2
Fcl

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust stains, limescale, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. The optimal combination of cleaning performance and material compatibility.



23 kg 247023
225 kg 247225

pH 13,3
Pe

PreWash express
Express precleaner



Highly concentrated, phosphate-free, high alkaline precleaner for prewashing cars and trucks. The combination of high-quality complexing agents and special surfactants dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

- 23 kg 261023
- 225 kg 261225
- 1100 kg 261000

pH 7
We

Wasserenthärter
Water softener



Liquid water softener for protection against lime deposits and scale formation in pipes, heating coils, storage tanks and aggregates in hot water systems. The crystallization is prevented by the Tresh-Hold-Effect.

- 11 kg 306011
- 225 kg 306225

pH 13,3
Pen

PreWash express NTA-frei
Express precleaner NTA-free

The NTA-free version of PreWash Express.



- 23 kg 262023
- 225 kg 262225

Construction Cleaner CTH
Hall & unit cleaner, CDA area



Washing bay, unit and spray arch cleaner for the washing & drying sector. An extreme cleaner for removing residues of drying agent and preservative waxes from all alkali-resistant surfaces, such as washing bay tiles, stainless steel assemblies, plastic panelling, VA/polymer spray arches, glass, etc. Persistent organic stains containing silicon are dissolved and destroyed. Construction Cleaner CTH contains a strong alkaline solution and is applied undiluted to the surface to be treated. In compliance with the pH value requirements for industrial water (pH < 9.0), it is suitable for use in biological industrial water treatment facilities.

- 25 l 414025

pH 14
Coc

New!

Colorful— Color awakening in the Self-Service Station

With the Colorful series, Koch-Chemie is launching three colorant concentrates on the market, which are added to car shampoo. This involves adding 1l of the concentrate to a 20l or 30l canister. The color concentrates transform the otherwise white foam into a pastel yellow, blue or green. We especially recommend its use in Super Foam and Active Foam shampoos. The extraordinary foam and fragrance characteristics as well as the excellent cleaning performance of these successful products are additionally emotionalized by the coloring.

Koch-Chemie relies on the use of dyes in the Colorful products. In contrast to the otherwise frequently used ph-value indicator Phenolphthalein, which is responsible for the coloration of the foam, our dyes used are harmless to humans. Phenolphthalein has been classified by the REACH regulation as carcinogenic, mutagenic and toxic for reproduction. Therefore, Phenolphthalein must not be placed on the market or used if its concentration in the substance or mixture is equal to or greater than the specific concentration limit of 1%. Although this concentration value is not exceeded when used in foam, we have decided against the use of Phenolphthalein for safety reasons.

Color without hazardous substances



Cg

Cb

Cy



- 1 l 449001 Colorful Green
- 1 l 448001 Colorful Blue
- 1 l 447001 Colorful Yellow

The emotional washing experience with colored car shampoo. Koch-Chemie's color concentrate colors Super Foam, Active Foam and other Koch-Chemie shampoos to create an appealing colored foam. With the dye solution, the color intensity of the car shampoo can be variably designed according to your own wishes. Koch-Chemie shampoo products retain the extraordinary foam and fragrance characteristics as well as the excellent cleaning performance. Suitable for the addition of 20L shampoo containers.

Dcb

Duftstoff Cotton Blossom
Fragrance Concentrate Cotton Blossom

1 l 259001

Concentrated fresh cotton blossom fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Dtr

Duftstoff Tropical
Fragrance Concentrate Tropical

1 l 255001

Concentrated fruity fresh papaya fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Db

Duftstoff Bazooka
Fragrance concentrate Bubble-gum

1 l 216001

Highly concentrated fruity fresh bubble-gum fragrance for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Dt

Duftstoff Ice Tea
Fragrance concentrate Ice Tea

1 l 389001

Highly concentrated fresh Ice Tea fragrance for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Dcs

Duftstoff Cool Stream
Fragrance concentrate Fresh Breeze

1 l 215001

Highly concentrated fresh fragrance of a sea breeze for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Df

Duftstoff Fresh Cotton
Fragrance concentrate Spring Freshness

1 l 217001

Highly concentrated fresh spring fragrance for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Ddc

Duftstoff Dark Cherry
Fragrance concentrate cherry

1 l 356001

Highly concentrated fruity fresh cherry fragrance for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Dos

Duftstoff Oriental Spirit
Fragrance concentrate sandalwood

1 l 358001

Highly concentrated sandalwood fragrance for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Da

Duftstoff Apfel
Fragrance concentrate Apple

1 l 176001

Concentrated fruity fresh apple fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Dc

Duftstoff Citrone
Fragrance concentrate Lemon

1 l 167001

Concentrated fresh lemon fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Dh

Duftstoff Himbeere
Fragrance concentrate Raspberry

1 l 175001

Concentrated fruity fresh raspberry fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Do

Duftstoff Orange
Fragrance concentrate Orange

1 l 166001

Concentrated fresh orange fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Dam

Duftstoff Aqua Marine
Fragrance concentrate Aqua Marine

1 l 436001

Concentrated fresh ocean fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.



Detailing

02. Detailing

- 2.1 Dewaxser
- 2.2 Engine and Chassis
- 2.3 Rim Cleaning
- 2.4 Washing Exteriors and Pretreatment
- 2.5 Rubber and Plastics Exterior
- 2.6 Paintwork
- 2.7 Interiors
- 2.8 Glass
- 2.9 Special Products



We are the leading complete system provider in the field of new and used vehicle preparation. Many cleaning and care products comply with worldwide car manufacturer approvals and are optimized for our customers' requirements and environmental protection specifications. As a market leader, we serve the largest detailing companies in the industry as well as thousands of regional specialists with the best products and application know-how.

Our expert staff will be happy to support you on site with application, environmental and occupational safety issues. We support the HWK in the training of innovative vehicle reconditioners (HWK) and certified detailers (BFA/HWK). As a member of the Vocational Training and Examination Committee of the Federal Association of Detailers (BFA), we have developed a unique training system. We offer our customers individual in-house training courses (e.g. hologram-free polishing) as well as two-day training courses in our training and Competence Center. Dates and further information can be found on our website under www.koch-chemie.com/en/competence/training



Vorreiniger B
Precleaner B

Highly concentrated, phosphate-free, alkaline, high foaming pre-cleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

pH 13,1
Vb



- 5 l 211005
- 11 kg 211011
- 22 kg 211022
- 225 kg 211225
- 1100 kg 211000

pH 13,1
Vbn**Vorreiniger B NTA-frei**
Precleaner B NTA-free

The NTA-free version of Precleaner B.

11 kg	248011
23 kg	304023
225 kg	248225

pH 13,3
Fw**Fleckenwasser**
Stain and wax remover

Organic solvent for removing greasy and organic residues left by cosmetics, oil, ink, paint, paraffin waxes (dewaxing residues), tar, etc. from all solvent-resistant surfaces such as glass, paint, ceramic, metal, textiles. Contains no halogenated hydrocarbons.




1 l	36001
10 l	36010

**Copo Star***Workshop floor and industrial cleaner*

Highly concentrated, phosphate- and solvent-free, high-alkaline cleaner for removing the heaviest dirt such as oil, greases, environmental dirt, graphite dusts, rubber marks, etc. Because of its enormous dirt fragmenting properties it is ideally suited for use in cleaning workshop floors and for industrial, engine and commercial vehicle cleaning (chassis, tarpaulins, etc.), as well as for removing copolymer-based floor sealants. Optimally suited as well for biological service water treatment plants.

pH 13,4
Cs

11 kg	27011
22 kg	27022
225 kg	27225



Copo Star BMP-T
Precleaner T

Highly concentrated, phosphate- and NTA-free, alkaline, high foaming precleaner for car and truck prewashing for removing insects, bird droppings, environmental, engine and rim dirt. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:5

- 10 kg 52010
- 21 kg 52021
- 218 kg 52218




Copo Star BMP V
Precleaner V

The VW approved version of Copo Star BMP-T.



- 21 kg 272021



Green Star
Universal cleaner

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3

- 1 l 25001
- 11 kg 25011
- 22 kg 25022
- 225 kg 25225



Green Star BMP
Universal cleaner, mild-alkaline

Highly concentrated, foam-inhibited, mild-alkaline universal cleaner free of phosphate, solvents and NTA, for mechanical and manual cleaning of workshop, industrial and office floors. Existing floor sealants or coatings are not impaired. Thanks to its enormous dirt and oil carrying capacity and highest material compatibility it is also ideal for prewashing and engine washing for cars and trucks, as well as for machine and workpiece cleaning. With re-greasing additives and temporary corrosion protection. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:2



- 11 kg 66011
- 21 kg 66021
- 225 kg 66225
- 1050 kg 66000

Golden Star
Engine cleaner, contains solvents

Highly viscous, solvent-containing, emulsifying cold cleaner with perfect adhesive strength for quick removal of waxes, oil, environmental dirt and very heavy ingrained dirt on engines, chassis, agricultural machinery, machinery, etc. Special ingredients protect the treated parts temporarily against corrosion.

- 20 l 90020
- 200 l 90200



Conservation

Mp

Motorplast*Special engine conserver*

Naturally shiny, water-displacing conserver for engines, housing parts, rubber hoses and power units of cars, commercial vehicles, etc., with pleasant fragrance. Treated parts regain their new appearance. The complete drying (no lubricating film) prevents dirt sticking. The power units are protected from corrosion and environmental factors by the permanently elastic protective film. Suitable for use on dry and wet surfaces. Temperature-resistant to 250°C. With Daimler approval.

5 l 236005
20 l 236020

Pls

Plastilack-Spray schwarz*Spray paint, matt black, RAL 9005*

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.

400 ml 103412



Acid Cleaners

Felgenreiniger K*Rim cleaner, acidic*

12 kg 6012
23 kg 6023
250 kg 6250
1200 kg 6000

Highly concentrated powerful, acidic cleaner for removing inorganic dirt such as rust bloom, limescale, brake particles, etc., from acid-resistant surfaces such as paint, glass, ceramic and metal parts. Corrosion inhibitors protect temporarily against corrosion. With Daimler approval.

pH 0

Fk

Felgenreiniger K viskos*Rim & stainless steel cleaner, acidic, viscous*

23 kg 233023
240 kg 233240

Heavily phosphoric acid based cleaner for all acid-resistant materials (rims, stainless steel surfaces, etc.). Brake dusts and other inorganic dirt such as limescale are removed quickly and thoroughly. The highly viscous setting leads to long adhesion and thus long interaction on the surfaces and reduces aerosol formation (safe working). A special additive delays drying and corrosion inhibitors reduce corrosion of the brake callipers.

pH 0

Fkv

pH 0
Fa

Felgenreiniger A

Rim cleaner, acidic, for wheel washing systems

23 kg 300023
230 kg 300230

Highly concentrated, phosphoric acid based rim cleaner for cleaning dismantled acid-resistant wheels/rims in mechanical wheel/rim washing systems (closed systems). Brake dusts and other inorganic dirt are removed quickly and thoroughly. Extremely economical consumption. With Daimler approval.

pH -0,2
Fcl

Felgenreiniger CL

Rim & washing bay cleaner, acidic

23 kg 247023
225 kg 247225

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust stains, limescale, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. The optimal combination of cleaning performance and material compatibility.

pH -0,2
Fe

Felgenreiniger extrem

Rim cleaner, acidic, extreme

11 kg 187011
22 kg 187022
225 kg 187225

Extremely acidic hydrochloric acid based special cleaner for all hydrochloric acid resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust bloom, limescale, cement residues, environmental dirt and other inorganic dirt are removed very quickly and thoroughly.

pH -0,3
Ta

Triple Acid Star

3-acid hammer

11 kg 242011
23 kg 242023
225 kg 242225

The extremely powerful, acidic salt, phosphorus and ammonium bifluoride based rim cleaner for all acid resistant aluminium and steel rims. Burnt-in brake dust, rust film, environmental and other inorganic dirt is removed extremely quickly and thoroughly. Even static dirt is effectively removed.

Neutral Cleaner

pH 7,5
Fb

Felgenblitz säurefrei

Rim cleaner, neutral, viscous

Powerful pH neutral rim cleaning gel on the basis of a special neutral ingredient. Burned in brake dusts, rust traces and other inorganic dirt are removed thoroughly and gently. The viscous setting leads to long adhesion and interaction. The effectiveness is made visible by the indicator (red colouring). With water repelling effect and gloss additives.



5 l 218005
11 kg 218011
19 kg 218019

Magic Wheel Cleaner


Acid-free rim cleaner

Powerful and gentle at the same time – the Magic Wheel Cleaner combines the best of both worlds. Its innovative performance ensures thorough, mild cleaning of rims and rim wells, while being completely acid-free.

Behind the Magic. Due to its high viscosity, the rim cleaner adheres very well to the surface and thus enables an effective dirt solution over the entire contact time. Special dirt carriers gently disperse and remove stubborn dirt from the surface. The reaction of its reactive component with the iron particles produces the characteristic red discoloration. Even after prolonged exposure, the dirt remains bound and the cleaner does not dry out. Due to its mild setting, we recommend Magic Wheel Cleaner even for sensitive rims.

**Gebinde / Container**

500ml 425500
10l 425010




Reactive Rust Remover
Rust Remover acidfree

This powerful, pH-neutral cleaner is made with reactive agents and extra high performance detergents. Superficial rust, metal particles, burnt-in brake dust and other non-organic pollutants are swiftly and thoroughly cleaned away. Gentle for materials. Components are harmonised for a longer contact time / moisturisation, so that the reactive agents can dissolve tough stains and burnt-in particles effectively. The cleaner, once it has dissolved the dirt, turns violet in colour. The special surfactants in the formula coat and disperse the partially dissolved dirt, so it is easy to rinse it off.

500 ml	359500
11 kg	359011

Alkaline Cleaners




Felgenblitz alkalisch
Rim cleaner alkaline, viscous

Powerful highly alkaline rim cleaner with excellent dirt absorption and cleaning performance on the basis of a special dirt carrier for all alkali-resistant aluminium and steel rims. Burned in brake dusts and environmental dirt are removed quickly and thoroughly. The viscous setting leads to long adhesion and interaction. With water repelling effect and gloss additives. Free from organic complexing agents and phosphates. With Daimler approval. VDA conform to class B: reaction time max. 1 min, maximum application concentration 1:20



22 kg	274022
210 kg	274210



PreWash express
Express precleaner

Highly concentrated, phosphate-free, high alkaline precleaner for prewashing cars and trucks. The combination of high-quality complexing agents and special surfactants dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

23 kg	261023
225 kg	261225
1100 kg	261000

PreWash express NTA-frei
Express precleaner NTA-free

The NTA-free version of PreWash Express.

23 kg	262023
225 kg	262225

Vorreiniger B
Precleaner B



Highly concentrated, phosphate-free, alkaline, high foaming precleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

5 l	211005
11 kg	211011
22 kg	211022
225 kg	211225
1100 kg	211000

Vorreiniger B NTA-frei
Precleaner B NTA-free

The NTA-free version of Precleaner B.

5l	248005
11kg	248011
23 kg	248023
225 kg	248225



pH 13
Cst

Copo Star BMP-T
Precleaner T



Highly concentrated, phosphate- and NTA-free, alkaline, high foaming precleaner for car and truck prewashing for removing insects, bird droppings, environmental, engine and rim dirt. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:5

10 kg	52010
21 kg	52021
218 kg	52218

pH 13
Csv

Copo Star BMP V
Precleaner V

The VW approved version of Copo Star BMP-T.

21 kg	272021
-------	---------------



02. Detailing

Vorreiniger B
Precleaner B

Highly concentrated, phosphate-free, alkaline, high foaming pre-cleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

5 l	211005
11 kg	211011
22 kg	211022
225 kg	211225
1100 kg	211000

pH 13,1
Vb

Vorreiniger B NTA-frei
Precleaner B NTA-free

The NTA-free version of Precleaner B.

5l	248005
11kg	248011
23 kg	248023
225 kg	248225

pH 13,1
Vbn

pH 13
Cst

Copo Star BMP-T
Precleaner T

Highly concentrated, phosphate- and NTA-free, alkaline, high foaming precleaner for car and truck prewashing for removing insects, bird droppings, environmental, engine and rim dirt. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:5

- 10 kg **52010**
- 21 kg **52021**
- 218 kg **52218**

pH 13
Csv

Copo Star BMP V
Precleaner V

The VW approved version of Copo Star BMP-T.

- 21 kg **272021**

pH 12,5
Gs

Green Star
Universal cleaner

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3



- 1 l **25001**
- 5 l **25005**
- 11 kg **25011**
- 22 kg **25022**
- 225 kg **25225**

pH 9,5
Gsb

Green Star BMP
Universal cleaner, mild-alkaline

Highly concentrated, foam-inhibited, mild-alkaline universal cleaner free of phosphate, solvents and NTA, for mechanical and manual cleaning of workshop, industrial and office floors. Existing floor sealants or coatings are not impaired. Thanks to its enormous dirt and oil carrying capacity and highest material compatibility it is also ideal for prewashing and engine washing for cars and trucks, as well as for machine and workpiece cleaning. With re-greasing additives and temporary corrosion protection. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:2



- 11 kg **66011**
- 21 kg **66021**
- 225 kg **66225**
- 1050 kg **66000**

Shampoo

Autoshampoo
Vehicle shampoo

Phosphate and NTA-free vehicle shampoo for gantry washing systems, wash systems and hand washing. The combination of anionic and non-ionic surfactants guarantees mild and thorough cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class A.

- 1 l **13001**
- 11 kg **13011**
- 21 kg **13021**
- 210 kg **13210**

pH 9
As

pH 8

Aw**Aktivwäsche***Active shampoo*

11 kg 10011
 21 kg 10021
 210 kg 10210

Concentrated, phosphate- and NTA-free active shampoo for gantry washing systems, wash systems and hand washing. The combination of anionic and non-ionic surfactants and replenishing components guarantees careful, thorough cleaning and protects the paintwork. Optimally suited as well for biological service water treatment plants. VDA conform to class A.

pH 4,5

Gw**Glanzwachsshampoo***Quick-dispersing shampoo*

10 kg 46010
 21 kg 46021
 210 kg 46210

Concentrated, phosphate- and NTA-free quick-dispersing shampoo for hand washing. The combination of cationic and non-ionic surfactants and conserving components guarantees careful, thorough cleaning and protects the paintwork. Washing, maintaining, drying and conserving are all carried out in a single step. After rinsing, the water film disperses immediately and this supports the fast drying of the vehicle. With Daimler approval. VDA conform to class A.

pH 5,5

Nms**NanoMagicShampoo***The Nano-Shampoo*

10 kg 206010

High-tech shine shampoo with premium preservation for manual car wash. Due to the unique combination of innovative cleaning and sealing components form a long-lasting dirt- and water-repellent nano-layer (lotus effect). The treated surfaces are protected from aggressive environmental influences. After rinsing, the water film breaks up immediately and thus supports the fast drying of the vehicle. NanoMagicShampoo is suitable in particular for the care of the vehicles sealed with 1K-Nano, since the contained the contained sealing components connect themselves firmly with the 1K-Nano network. Thus the service life is increased with regular (every second to third vehicle wash) is significantly extended. Other polishes or sealants applied in advance are also renewed and not, as with conventional car shampoos, removed.

pH 11

Sff**Super Foam Fruit Bowl***Cleaning Foam for Self-Wash stations*

20 l 253020

The extremely foamy, alkaline active foam with an fruity fresh aroma for self-service car wash stations and use in foam guns. Super Foam constitutes an incomparable foam cleaning experience for your vehicle and leaves a long-lasting scent in the cleaning area. Its alkaline pH and highly effective ingredients remove the dirt and ensure a high-quality cleaning performance. The foam encapsulates the dirt and can easily be rinsed off so that the vehicle is cleaned by high pressure which is gentle on the paintwork. VDA-compliant class A: treatment time max. 5 minutes, max. application concentration 1:50

pH 12

Sf**Super Foam***Cleaning Foam for Self-Wash stations*

11 kg 396011
 22 kg 396022
 210 kg 396210

The extremely foamy, alkaline active foam with an intense fruity aroma for self-service car wash stations and use in foam guns. Super Foam constitutes an incomparable foam cleaning experience for your vehicle and leaves a long-lasting scent in the cleaning area. Its alkaline pH and highly effective ingredients remove the dirt and ensure a high-quality cleaning performance. The foam encapsulates the dirt and can easily be rinsed off so that the vehicle is cleaned by high pressure which is gentle on the paintwork. VDA-compliant class A: treatment time max. 5 minutes, max. application concentration 1:50

Gentle Snow Foam*Cleaning foam pH Neutral*

1 l 383001
 5 l 383005

The high foaming, pH neutral cleaning foam with a unique cherry fragrance can be used as a Snow Foam for pre-washing when applied using a foam gun or foam sprayer, and as a shampoo for manual car washing. Gentle Snow Foam develops an even, well moistened foam blanket that sticks to the entire surface, thereby allowing a long application time. Due to its pH neutral formula, it does not corrode waxed or sealed surfaces. The Gentle Snow Foam can be enriched with the Green Star to create an active foam in order to quickly remove stubborn dirt and insects.


Diverses**Wash & Finish***Waterless wash*

10 l 317010
 20 l 317020

Special-purpose product for quick and easy external cleaning of slightly to moderately dirty vehicles without water. Cleans, cares for and seals vehicle paints, glass, plastic parts, rims, etc. in a single step. Innovative cleaning and care components clean the surfaces gently, leaving them with a glossy, non-streaky and hydrophobic finish. Previously applied polishes and waxes are retained.

pH 7,5

Gsf**Wf**

**Flugrostentferner BMP***Rust bloom remover, highly concentrated*

12 kg 224012
250 kg 224250

Highly concentrated powerful, acidic cleaner for removing inorganic dirt such as rust bloom, limescale, brake particles, etc., from acid-resistant surfaces such as paint, glass, ceramic and metal parts. Corrosion inhibitors protect temporarily against corrosion. With Daimler approval.

**Reactive Rust Remover***Rust Remover acidfree*

500 ml 359500
11 kg 359011

This powerful, pH-neutral cleaner is made with reactive agents and extra high performance detergents. Superficial rust, metal particles, burnt-in brake dust and other non-organic pollutants are swiftly and thoroughly cleaned away. Gentle for materials. Components are harmonised for a longer contact time / moisturisation, so that the reactive agents can dissolve tough stains and burnt-in particles effectively. The cleaner, once it has dissolved the dirt, turns violet in colour. The special surfactants in the formula coat and disperse the partially dissolved dirt, so it is easy to rinse it off.

**Panel Preparation Spray***Control spray*

0,5l 441500

The alcohol-based ready-to-use cleaner for preparing the paint and removing oils, waxes, and polish residues. Simultaneous testing of the varnish for hologram and freedom from scratches. Due to the special ingredients, the product is very compatible with the material and easy to use. It is ideal for the preparation of all types of coatings and sealants (C0.02,1K, W0.01). Free of halogenated hydrocarbons.

**Silicon- & Wachsentsferner***Silicone remover, soluble in water*

5l 207005

Alcohol-based solvent for removing silicone oils, waxes, oils such as polish residues, etc. from all solvent-resistant surfaces. The treated surfaces are optimally prepared for further processing steps (painting, 1K-Nano paint sealing, etc.). Contains no halogenated hydrocarbons.

**Fleckenwasser***Stain and wax remover*

1 l 36001
10 l 36010

Organic solvent for removing greasy and organic residues left by cosmetics, oil, ink, paint, paraffin waxes (dewaxing residues), tar, etc. from all solvent-resistant surfaces such as glass, paint, ceramic, metal, textiles. Contains no halogenated hydrocarbons.

Orange Power*Adhesive, tree resin and rubber remover*

1 l 192001
10 l 192010

Quick-acting, slow vaporising special product based on natural orange extracts. Removes adhesive residues, eg removing labelling on vehicles. Rubber and resin residues, ink stains, oil, greases, tar and chewing gum, etc., can also be removed without any problems from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Contains no halogenated hydrocarbons and is pleasant to use thanks to its fresh orange fragrance.

Eulex*Adhesive & stain remover*

1 l 43001

Special product for the quick removal of adhesives (eg sticker residues), rubber, tree resin, spray mist, ink stains, oil, greases, tar, etc. from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Evaporates quickly and without leaving residues and contains no halogenated hydrocarbons. With Daimler approval.

Eulex M*Adhesive remover M*

1 l 264001

Low-odour special product for the effortless removal of adhesive, tree sap and rubber marks even from matt-painted vehicles, glass surfaces, etc. Penetrates quickly into the organic residues and softens them and this enables easy removal. The product's active ingredients are not flammable and only evaporates slowly. Contains no halogenated hydrocarbons. With Daimler approval.



Euv**Eulex V***Adhesive remover V*

The low-odor special product for the removal of adhesive buildup after the removal of large-area films or advertising stickers on vehicles and glass surfaces. Penetrates quickly into residues of adhesives, tree resin and waxes, softening them and thus enabling easy removal. Due to its special solvent, Eulex V is a special low-odor and mild variant compared to the usual vinegar ester / acetone-containing adhesive removers. VW approved.

10 l 364010

ClS**Clay Spray***Lubricant spray for cleaning clay*500 ml 368500
10 l 368010

Mild, low-residue lubricant free of coating defects. Effective for use with clay bars or pads. The excellent lubricity minimises surface scratching during cleaning. Unlike other lubricants it does not leave behind any film. Residue is easy to wipe away with a microfibre cloth. Due to the specialised formula the clay bars or pads do not dissolve and last considerably longer.

Rkb**Reinigungsknete blau***Cleaning clay mild*

1 Stk 183001

Removes even stubborn deposits such as tree resin and insects, rust bloom, industrial dust, spray mist, tar, limescale stains, etc. gently from smooth surfaces such as paintwork and glass, without affecting or damaging them. Optimal for intensive cleaning before the polishing process or before fitting new windscreen wipers.

Rkr**Reinigungsknete rot***Cleaning clay, abrasive*

1 Stk 183002

Removes even stubborn deposits such as tree resin and insects, rust bloom, industrial dust, spray mist, tar, limescale stains, etc. gently from smooth surfaces such as heavily weathered / dirty paintwork and glass. Optimal for intensive cleaning before the polishing process or before fitting new windscreen wipers. Not recommended for new paintwork because subsequent polishing is necessary.

**Plast Star***Premium care for external plastic*1 l 108001
10 l 108010

The premium product in the area of plastic care products. Maintains and protects over months and is extremely UV-stable. The treated parts regain their original new semi-matt appearance thanks to a special care components system (wax-silicone dispersion), which bonds firmly with the treated surface. Stops door seals from freezing. The extremely long service life, fast and simple use and a pleasant fragrance make Plast Star into an unbeatable product. Optimally suited for tyres and rubber parts as well.

Ps**Plast Star 96***Care for external plastic, plus*

The high-quality wax silicone dispersion for all tire, rubber and plastic exterior parts. Maintains, preserves and gives the treated surfaces a long-lasting new appearance. Prevents the freezing of rubber seals.

Ps91 l 109001
10 l 109010

Pss

Plast Star siliconölfrei*Premium care for external plastic*

Silicone oil-free premium product in the area of plastic care products. Maintains and protects over months and is extremely UV-stable. The treated parts regain their original new semi-matt appearance thanks to a special care components system (micro-emulsion), which bonds firmly with the treated surface. Stops door seals from freezing. The extremely long service life, fast and simple use and a pleasant fragrance make Plast Star siliconölfrei into an unbeatable product. Optimally suited for tyres and rubber parts as well. With Daimler approval.

1 l 173001
10 l 173010

Gkv

Gummi-, Kunststoff- & Vinylpflege*Exterior plastic care*

10 l 191010
20 l 191020

Effective cleaning and protective care product for easy quick use. With protection properties for all tyres, exterior rubber and plastic parts. With paint refreshing and semi-gloss. With Daimler approval.

Gkg

Gummi- & Kunststoffpflege glänzend*Exterior plastic care, glossy*

10 l 295010

Effective cleaning and protective care product for easy quick use. With protection properties for all tyres, exterior rubber and plastic parts. With paint refreshing and glossy finish.

Rfs

Kcu-Reifenschaum*Tyre cleaning and care foam*

600 ml 196612

Maintains and protects tyres quickly and effectively in a single step. Premium care components give the tyres an intensive and long-lasting sheen.

Hlp

Headlight Polish Set*Headlight Preparation Set*

9998185

The Headlight Polish Set gives yellowed, matt headlights a clear view again. With our perfectly coordinated polishes and pads, an optimal surface is created in just two steps. The branded black cardboard box contains sanding papers of different grain sizes, a hand block with Velcro for manual sanding, Headlight Polish 1 and Headlight Polish 2 with sealing component as well as three matching pads. The included Thermo Pad allows a good control over the temperature development of the material during processing, as the colour change of the pad serves as an indicator due to its thermochromic property. A total of 50 spotlights can be processed with the Headlight Polish Set. All components can be purchased separately.

**Plastklack-Spray schwarz***Spray paint, matt black, RAL 9005*

400 ml 103412

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.


Kunststoff-Färber schwarz*Plastic dye paste, black*

250 ml 251250

Water-resistant plastic dye for recolouring badly faded or weathered plastic parts on vehicle exteriors. Dyes, impregnates and cares for the treated parts. Excellent covering properties and extremely high resistance.

Pls

Kfs



Lack-Polish Evolution

In our PolishSystem, the Lack-Polish products virtually form a category of their own: with relatively little cut and a high gloss level, the polishes are the right choice for preparing the paintwork of new and used cars. Until now, our customers have been able to choose between Lack-Polish grün, blau and rosa. Now we have rethought this range: grün has been improved; blau and rosa have become an improved violett.

Out-of-two-makes-one polish: Lack-Polish violett

Previously, our Lack-Polish blau provided the optimal preparation for new to moderately weathered paint surfaces, and Lack-Polish rosa provided a simple preparation for lightly weathered paint surfaces. Now Lack-Polish violett combines the product properties of both old formulations in one polish. All this without having to forfeit any function. Thus, the new Lack-Polish violett cares for and refines lightly to moderately weathered paintwork. The abrasive gloss polish produces an optimum, streak-free high-gloss finish both mechanically and manually. Due to the homogeneous formulation, polish, unlike its predecessors, does not separate, so that the quality remains the same with every application.

The differentiation in pad and polisher allows the optimal result to be achieved depending on the condition of the paint. For effective removal of scratches, we recommend the use of the Fine Cut Pad. The optimum cut is achieved by using a rotary polishing machine at medium speed. For light weathering, the Polish & Sealing Pad creates a high-gloss surface. The best possible finish is achieved here by using an eccentric polishing machine.

Better times three: Lack-Polish grün

We already launched an improved formulation of Lack-Polish grün in June. This all-rounder for car dealerships protects, cares for and refines as-new and as-new reconditioned paintwork. Thanks to the revised formulation, our Lack-Polish grün is no longer classified as a hazardous substance. In addition, the increased homogeneity ensures easier processing while maintaining the same high quality. The nose also notices the third improvement: while our old formulation had a slightly pungent odor, the new Lack-Polish grün is significantly more odor-neutral.

Sizes

Lack-Polish grün

- 1l 443001
- 5l 443005

Lack-Polish violett

- 1l 457001
- 5l 457005

Polish & Sealing Pad

- 5x Ø 45 x 23 mm 999613
- Ø 126 x 23 mm 999586
- Ø 150 x 23 mm 999587





Polishing Compounds

9,0
H9₀₂
6,0

Heavy Cut H9.02

*Coarse polishing compound,
silicone-oil-free*

Innovative machine polish for fast reworking of heavily weathered paintwork, elimination of deep scratches, and effective removal of paint mists and sanding traces of up to 1,200 grain. With its extremely homogeneous abrasive grain, Heavy Cut 9.02 achieves an extremely high level of cut with an excellent gloss level. Can be polished for prolonged periods without sticking and with low dust formation. Ideally suited to all types of paint (both soft and scratch-proof).

250 ml **458250**
1 l **458001**

Abrasion level: 9,0
Gloss level: 6,0

8,5
H8₀₂
5,0

Heavy Cut H8.02

*Coarse polishing compound,
silicone-oil-free*

Innovative machine polish for fast reworking of heavily weathered paintwork, elimination of deep scratches, and effective removal of paint mists and sanding traces of up to 1,500 grain. With its extremely homogeneous abrasive grain, Heavy Cut 8.02 achieves an extremely high level of cut with an excellent gloss level. Can be polished for prolonged periods without sticking and with low dust formation. Ideally suited to all types of paint (both soft and scratch-proof). With Daimler approval.

250 ml **312250**
1 l **312001**

Cut: 8,5
Gloss: 5,0

Schleifpaste H7.01

Coarse polishing compound

Schleifpaste H7.01 is the heavily abrasive machine polish for quick reconditioning of heavily weathered paintwork, removing paint overspray and sanding traces to P2000 grain.

250 ml **180250**
1 l **180001**

Cut: 7,5
Gloss: 3,0

7,5
H7₀₁
3,0

Fine Cut F6.01

Fine polishing compound, silicone-oil-free

Intelligent machine polish of the latest generation with unique aluminium oxide quality. The intelligent grain size ensures very quick, complete removal of wash system scratches and similar traces of use and gives the paintwork a long-lasting deep sheen. Sanding marks left behind by 2500 grade sanding media are removed effortlessly. Fine Cut F6.01 is therefore ideally suited for perfect reconditioning of medium to heavily weathered paintwork. Perfectly coordinated for the treatment of scratch-proof paint.

1 l **181001**

Cut: 6,0
Gloss: 7,0

6,0
F6₀₁
7,0

One Cut & Finish P6.01

High-gloss Polish with Sealant

Innovative machine polish for quickly producing high-gloss surfaces and for effectively removing scratches and grindings from a grit size of P2000 and above with a simultaneous sealing effect.

250 ml **428250**
1 l **428001**

Schleifgrad: 6,0
Glanzgrad: 8,0

6,0
P6₀₁
8,0

Micro Cut M3.02

Micro polishing compound, silicone-oil-free

Micro Cut M3.02 is the latest generation machine micro-polish for the permanent removal of streaks, holograms, fine scratches and sanding marks to P3000 grain size on all paint systems (including scratch-resistant). Through the use of highly specialised, extremely homogenous abrasive bodies, a brilliant permanent high gloss finish is created under extreme light conditions even on dark and similarly sensitive shades. Holograms and fine scratches are eliminated mechanically and not, which is often the case, covered over. Micro Cut M3.02 is extremely economical, easy to polish and removable without leaving traces.

250 ml **403250**
1 l **403001**

Cut: 3,2
Gloss: 9,0

3,2
M3₀₂
9,0

Polishes

3,2
P3₀₁
9,5

Micro Cut & Finish P3.01

Micro polishing compound with carnauba wax

Micro Cut & Finish is the latest generation machine micro-polish for the permanent removal of streaks, holograms, fine scratches and sanding marks to P3000 grain size on all paint systems (including scratch-resistant) with simultaneous long-term sealing with high degree of gloss and smoothness. Through the use of highly specialised, extremely homogenous abrasive bodies, a brilliant permanent high gloss finish is created under extreme light conditions even on dark and similarly sensitive shades. Holograms and fine scratches are eliminated mechanically and not, which is often the case, covered over. Micro Cut & Finish is economical, easy to polish and to remove. Contains carnauba wax and non-fugitive silicones.

250 ml 315250
1 l 315001

Cut: 3,2
Gloss: 9,5

2,0
P2₀₃
9,3

Lack-Polish violett P2.03

Abrasive gloss polish

Lack-Polish violett maintains and refines lightly to moderately weathered paintwork. The abrasive gloss polish produces an optimum, streak-free high-gloss finish by machine and manually. The treated surfaces are preserved. For effective removal of scratches, we recommend the use of the Fine Cut Pad. For light weathering, the Polish & Sealing Pad produces a high-gloss finish.

1 l 457001
5 l 457005

Cut: 2,0
Gloss: 9,3

Mep**Metal Polish**

Paint treatment

Excellent polish for all metals. Removes rust and dirt and maintains in one operation. Increases the natural gloss level and creates a beautiful beading behavior.



507075

Lack-Polish grün P1.01

Finish polish

Lack-Polish grün protects, maintains and refines new and as new paintwork. The finish with Lack-Polish grün will give the paintwork a depth of gloss and colour that is exceptional. The treated paintwork is protected for a long period against adverse environmental factors. Lack-Polish grün is very easy and time-saving to use, and is suitable for all paint types. With Daimler approval.

1 l 443001
5 l 443005

Cut: 1,0
Gloss: 9,5

1,0
P1₀₁
9,5

Sealants

Hartwachs BMP S0.01

Finishing wax

Hartwachs BMP is the ideal sprayable premium long-term conservator for all paints and various plastics. With a special mixture of particularly hard and resistant special waxes, Hartwachs BMP cleans, nourishes and protects the treated surfaces and gives them an attractive deep shine and a high gloss sheen that last for months. Remains of previous polishes, waxes and traces of tar are also removed effectively and quickly.

1 l 2001

Cut: 0;
Gloss: 9,2

0
S0₀₁
9,2

Spray Sealant S0.02

Spray sealant for painted surfaces

The fastest way to a perfect finish

This bottle combines brilliant radiance, colour deepening and hydrophobicity for spraying. In just one step, our efficient Spray Sealant achieves a fast, high-gloss and velvety finish. This makes it a gloss booster.

Spray Sealant can be sprayed directly onto the dry paint surface and is polished out with a clean microfibre cloth after a short evaporation time. The product properties are effective immediately after polishing out: The sealing components create a perfect water beading effect, the paint is characterized by a clearly visible colour deepening effect and the surface is highly glossy.



500 ml 427500

0
S0₀₂
9,9

New!

Paintwork

Paintwork

0,0
CO₀₂
9,9

The Paint Bodyguard

Ceramic Allround C0.02: The Protective Vest for Surfaces

A long-lasting protective layer that shields the surface from environmental influences: This is what the first ceramic sealant in Koch-Chemie's product portfolio promises. With Ceramic Allround C0.02, we now offer a high-quality ceramic sealant, which optimizes and permanently protects surfaces with little effort. The ceramic coating contributes significantly to maintaining or increasing the value of the vehicle.

Properties of Ceramic Allround C0.02

- Long-lasting protection of the surface with a service life of 18-24 months
- Smooth, hydrophobic surface with lotus effect
- Gloss stable even after use of acid and alkaline cleaners
- Easy-to-clean properties, so that dirt adheres less well and the surface can be cleaned gently
- Protection of the sealed surface against environmental influences such as UV radiation, road salt, bird droppings and rust
- Protection of the clearcoat against corrosive and acidic products in pH range 5 to 12
- Easy processing

For Safety Reasons Not Full to the Brim

The glass bottle with 100ml filling volume is only filled with 75ml for safe storage of the product. The remaining 25ml offer enough space (gas volume) to buffer the pressure build-up in the bottle. Thus, the container remains tight and the ceramic sealant does not leak. Nevertheless, it is strongly recommended to store the Ceramic Allround C0.02 bottles upright only.

The Chemistry Behind It


Untreated paint does not have a smooth surface. This causes diffuse light reflections. [A] Water does not bead off easily and dirt sticks better. Deep scratches, unevenness and holograms are removed through paint preparation. The paint surface is now homogeneous and smooth, so that light is reflected optimally and evenly. This creates the extremely glossy paint surface, which is still unprotected. [B] The treatment with Ceramic Allround C0.02 forms a thin ceramic coating on the surface. The ingredients of the ceramic sealant react with the humidity in the ambient air during application, crystallize and form a molecular matrix structure. After the drying is completed, the coating is stable in the long term, highly resilient and hard. Unlike waxes or polishes, Ceramic Allround C0.02 does not simply lie on the surface, but bonds with it. [C]



[A] Untreated paint: Diffuse light reflection



[B] After paint preparation: Perfect light reflection and smoothness



[C] Reactively bonded ceramic protection: magnified 1000 times compared to A/B



Ceramic Allround
Ceramic Sealant

505001

Set includes

- 505075 Ceramic Allround C0.02 (75ml)
- 999621 Applicator block (1 pcs.)
- 999620 Applicator cloth microfiber 10x10 cm (5 pcs.)
- 999619 Special microfiber cloth grey 40x40 cm (1 pcs.)
- 9998049 Certificate for ceramic coating (5 pcs.)
- 9998050 Door entry sticker for ceramic coating (5 pcs.)

02. Detailing

New!

Paintwork

Water Beading Redefined.

Wax Sealing with Carnauba

The First of its Kind for Redefined Hydrophobicity

If the vehicle deserves a special treatment, this Hand Wax is used – for high gloss and special hydrophobicity. High-quality Carnauba waxes provide a long-lasting sealed and protected paint surface in our first wax sealant.

Applied with care and the appropriate applicator sponge, the sealing components create a smooth surface with very good hydrophobic properties. The paint is clearly more brilliant and highly glossy. External plastic components can also be maintained and sealed with Hand Wax. Our Hand Wax only needs to be applied thinly and is therefore very economical.


Hand Wax W0.01
175ml — 426175



Paintwork

W0.01
9,9

02. Detailing



Cut
Gloss



Qs

Quick & Shine*Allround finish spray*

1 l 168001

10 l 168010

The all-round quick detailer for all smooth and painted surfaces (vehicle paintwork, painted wood, glass, plastic parts, consoles, painted furniture and musical instruments, stainless steel surfaces, etc.). Cleans, maintains and preserves in a single step. The surfaces receive a colour deepening and a streak-free, brilliant gloss. Finger marks and light dirt are removed quickly and easily. The treated parts are conserved and repel water and dirt and are protected from becoming dirty again quickly (lotus effect). Quick & Shine is quickly removed and is therefore easy to use. Previously applied veneers or waxes are preserved. Particularly suited for quick finishing of exhibited goods in showrooms or at fairs, as well as for quick valeting of vehicles. With Daimler approval.

Qf

Quick Finish*Allround finish spray, silicone-oil-free*

1 l 314001

An all-round talent for all smooth and painted surfaces (vehicle paintwork, painted wood, glass, plastic parts, dashboards, painted furniture and musical instruments, stainless steel surfaces, etc.). Cleans, cares and seals in a single step. Fingerprints and light dirt are removed quickly and easily. Surfaces are left with a brilliant shine, high surface smoothness and good hydrophobic properties. Quick Finish runs off quickly without leaving streaks and is therefore easy to apply. Previously applied polishes and waxes are retained. It is particularly well suited to quick finishing of exhibited goods in showrooms or at trade fairs, as well as for quick valeting of vehicles. Also suitable for use in painting applications.

Fse

Finish Spray exterior*Quick detailer with limescale remover*

All-round detailing spray for fast care of all external vehicle surfaces such as paintwork, glass and plastics. With its special formula even stubborn limescale stains are removed quickly and without leaving any residue. Cleans, maintains and preserves in a single step. Depth of colour is returned leaving a smooth brilliant high gloss free from streaks. Finish Spray exterior is quickly removed, is easy to use and protects the surfaces against new dirt.

1 l 285001

10 l 285010

Wf

Wash & Finish*Waterless wash*

10 l 317010

20 l 317020

Special-purpose product for quick and easy external cleaning of slightly to moderately dirty vehicles without water. Cleans, cares for and seals vehicle paints, glass, plastic parts, rims, etc. in a single step. Innovative cleaning and care components clean the surfaces gently, leaving them with a glossy, non-streaky and hydrophobic finish. Previously applied polishes and waxes are retained.

ProtectorWax*Premium protection wax P*

High-gloss, lotus effect and protection. The innovative high-tech conserving wax sets new standards in matters of protection, durability, extreme deep gloss, long-term water repellence (lotus effect), easy-to-clean performance and vehicle drying without micro-beading. The use of polyfunctional reactive components in combination with highest quality care components, which bond firmly with the surfaces as a network, guarantee perfect long-lasting high-gloss protection and improved visibility during rain (beading). Improves with regular use the gloss and protection layer, covers fine scratches and all rubber and plastic parts as well as convertible fabric top materials are protected against fading and embrittlement. ProtectorWax thus makes a considerable contribution to maintaining the vehicle's value. Can be used as hot, cold and foam wax (mechanically and manually). Achieves optimum drying results even with high conductance values of the service water and with difficult fan geometries. Optimally suited for standard as well as for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

1 l 319001

10 l 319010

20 l 319020

pH 4,5
Pw

Nano-Sealing

1K

0
9,9

1K-Nano

Nano paintwork sealant



The 1K-Nano is bonded to the paint and based on innovative reactive substances forms an extremely smooth, mirror paint seal that is resistant to chemicals, UV radiation and abrasion. Special additives give the paintwork an extremely deep sheen. The one-step process reduces the working time considerably in comparison with 2-component systems. The paintwork is protected perfectly and lastingly from adverse environmental factors. A unique easy to clean performance means that insects, bird droppings and other deposit build-ups can be removed much more easily. The durability is approx. 1 year, but this can be extended up to 3 years through regular manual after-care with NanoMagicShampoo (hand wash) or through after-care with NanoMagic Twin Wax (carwash) and the recommended annual paintwork inspection by an expert!

Schleifgrad: 0

Glanzgrad: 9,9

250 ml 245001

NanoMagicShampoo

Nano protection shampoo

pH 5,5
Nms

High-tech shine shampoo with premium preservation for manual car wash. Due to the unique combination of innovative cleaning and sealing components form a long-lasting dirt- and water-repellent nano-layer (lotus effect). The treated surfaces are protected from aggressive environmental influences. After rinsing, the water film breaks up immediately and thus supports the fast drying of the vehicle. NanoMagicShampoo is suitable in particular for the care of the vehicles sealed with 1K-Nano, since the contained the contained sealing components connect themselves firmly with the 1K-Nano network. Thus the service life is increased with regular (every second to third vehicle wash) is significantly extended. Other polishes or sealants applied in advance are also renewed and not, as with conventional car shampoos, removed.

10 kg 206010

Mehrweckreiniger

Interior & special cleaner



Highly effective alkaline intensive cleaner for cars, industrial and building cleaning. Deep, thorough removal of oil, greases, ink, soot, nicotine and common road dirt. For plastics, textiles, upholstery, machinery, etc. Mehrweckreiniger has an excellent dirt dissolving and carrying capacity. Provides a pleasant scent for the surroundings. With Daimler approval.

pH 12,5
Mzr11 kg 86011
21 kg 86021
225 kg 86225

Pol Star

Textile, leather and alcantara cleaner



Effective neutral cleaner with protection formula for leather, alcantara and textiles such as upholstery and carpets. The dirt is removed from deep in the fibres by fine-pored foam lamellas and can be wiped up with a wet/dry vacuum cleaner or a damp cloth. Does not leave any water marks and preserves the original waterproofing. The conserver protects the parts against becoming dirty again quickly.

pH 7
Po

1 l 92001

pH 12,5
Gs**Green Star**
Universal cleaner

1 l	25001
5 l	25005
11 kg	25011
22 kg	25022
225 kg	25225

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3

Asc**Allround Surface Cleaner**
Surface cleaner special

500 ml	367500
10 l	367010

Ready to use surface cleaner for the car, home and workplace. Finger-marks, dust, grease and all other forms of dirt are all swiftly and thoroughly cleaned away. Leaves a residue and streak free clean finish on all smooth surfaces including non-polar materials such as plastics. Also for use with a cleaning gun (such as Cyclone, Art.No. 999021) for great results on ventilation slots, textiles etc. because the formulation does not leave any water marks or chemical residue behind. Has a pleasant scent.

Stain Removal**Fw****Fleckenwasser**
Stain and wax remover

1 l	36001
10 l	36010

Organic solvent for removing greasy and organic residues left by cosmetics, oil, ink, paint, paraffin waxes (dewaxing residues), tar, etc. from all solvent-resistant surfaces such as glass, paint, ceramic, metal, textiles. Contains no halogenated hydrocarbons.

Tex**Tinten- & Kuli-Ex**
Ink and ballpoint remover

250 ml	197250
--------	--------

Dissolves water-soluble ink and ballpoint marks quickly and thoroughly from textiles, leather and tiles. A combination of special solvents and detergents dissolves the ink pigments and disperses them. Tinten- & Kuli-Ex contains no halogenated hydrocarbons and is pleasant to use thanks to its fresh orange aroma.

Orange Power
Adhesive, tree resin and rubber remover

1 l	192001
10 l	192010

Quick-acting, slow vaporising special product based on natural orange extracts. Removes adhesive residues, eg removing labelling on vehicles. Rubber and resin residues, ink stains, oil, greases, tar and chewing gum, etc., can also be removed without any problems from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Contains no halogenated hydrocarbons and is pleasant to use thanks to its fresh orange fragrance.

Schmutzradierer 5er Pack
Dirt eraser, pack of 5

1 kg	999328
------	--------

Abrasive, quick cleaning special sponge for removing stubborn stains and dirt such as rubber marks, ballpoint pen stains, tea and coffee stains, grease stains, chewing gum, tar stains, etc. from hard surfaces.

Care products**Top Star**
Interior plastic trim semi-matt

1 l	132001
10 l	132010

Premium care emulsion for deep pore cleaning and freshening plastic and rubber parts such as consoles, interior trim, seals, etc. Top Star creates a long-lasting, semigloss, natural sheen and protects the surface permanently against new dirt and UV radiation. Special active ingredients keep plastic supple, have an antistatic effect and provide a new and attractive look. With fresh fragrance. With Daimler approval.

Cockpit-Super-Pflege
Interior plastic maintenance product, glossy

1 l	20001
10 l	20010

Cockpit-Super-Pflege is an interior plastic trim maintenance product with cleaning and preserving properties adjusted for gloss. Provides long-lasting protection against new dirt and UV radiation. With fresh fragrance.

Quick & Shine
Allround finish spray

1 l	168001
10 l	168010

The all-round quick detailer for all smooth and painted surfaces (vehicle paintwork, painted wood, glass, plastic parts, consoles, painted furniture and musical instruments, stainless steel surfaces, etc.). Cleans, maintains and preserves in a single step. The surfaces receive a colour deepening and a streak-free, brilliant gloss. Finger marks and light dirt are removed quickly and easily. The treated parts are conserved and repel water and dirt and are protected from becoming dirty again quickly (lotus effect). Quick & Shine is quickly removed and is therefore easy to use. Previously applied veneers or waxes are preserved. Particularly suited for quick finishing of exhibited goods in showrooms or at fairs, as well as for quick valeting of vehicles. With Daimler approval.

Op**Ts****Csp****Qs**

Ls

Leather Star*Deep care for leather*

Premium leather care with a natural semigloss finish. For revitalising and preserving smooth leather, suede and perforated leather materials on vehicle seats, sofas, etc. Leather Star is easy to use and creates a pleasant fragrance, a colour intensifying appearance and a supple and soft feel, without causing undesirable slipperiness. The use of premium active ingredients from cosmetics makes the leather supple and provides prolonged protection against new dirt and becoming brittle.

1 l 238001

Guf

Gummifix*Interior plastic care, non-slip*

Non-greasy, silicone-oil-free rubber and plastic care for rubber foot mats, plastic floor surfaces and other interior areas in cars and commercial vehicles for which slip resistance is necessary. Makes surfaces appear 'as new'.

10 l 48010

Odour Control**Fresh Up***Odour eliminator*

1 l 153001

Sprayable special product for eliminating unpleasant smells in vehicles, caravans, boats, sanitary, residential and commercial areas. The odour molecules of tobacco smoke, animal smells, decomposition processes, etc. are encapsulated and thus made ineffective. Fresh Up deodorises the treated rooms, textiles and areas with a fresh fragrance. For odour control of extreme problem vehicles we recommend in addition the use of our ozone generator KC 3500.

Fu

Duftstoff Apfel*Fragrance concentrate Apple*

1 l 176001

Concentrated fruity fresh apple fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Da

Duftstoff Citrone*Fragrance concentrate Lemon*

1 l 167001

Concentrated fresh lemon fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Dc

Duftstoff Himbeere*Fragrance concentrate Raspberry*

1 l 175001

Concentrated fruity fresh raspberry fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Dh

Duftstoff Orange*Fragrance concentrate Orange*

1 l 166001

Concentrated fresh orange fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Do

KC— Refresher



The KC-Refresher is a component of an innovative system for sustainable odour elimination without depleting the ozone layer. By hot spraying the KC-Refresher fluid, the device creates steam in the vehicle interior, the drops of which are so small that they waft through the vehicle interior and create a thick mist. This mist permeates into the corners of the interior and, in particular, into the ventilation system and the air conditioning evaporator and thus removes even the strongest of odours. Application only takes approx. 20 minutes. Can also be used in other areas such as in buildings. Due to the combination of substances and the hot spraying, application is not sensitive to temperature or humidity. The vehicle can be used shortly after application.

999525

KC-Refresher Fluid

Fumigation liquid



Fumigation liquid for nebulisation in the KC-Refresher. Without the use of ozone, the innovative combination of active ingredients immediately removes unpleasant odours with a long-lasting effect. Nebulisation enables the liquid to be effectively distributed throughout the interior and therefore achieves optimum results even in hard-to-reach places.

1 | 500001

Kcr



Ng

Nano-Glasversiegelung

Nano-glass-sealing

Reactive high-tech sealant that forms a hydrophobic nano network that is extremely resistant to chemicals and abrasion, providing a lasting seal on all glass, mirror and ceramic surfaces. The resulting lotus effect reduces adhesion of environmental dirt, insects, ice, etc. and thereby delivers an easy-to-clean surface. Using the product on motor vehicle windscreens leads to a significant reduction in wiper usage and improved visibility in case of rain thanks to unique repellent behaviour, whereby raindrops are carried away by the airstream at speeds of approx. 80 km/h or more. Durability: up to one year or 20,000 km. Set contents: 250 ml each of polishing milk and nano sealant.

250 ml 202001

Gla

Glas Star

Glass cleaner concentrate, premium

10 l 44010
20 l 44020
200 l 44200

The concentrated, alcohol based glass cleaner for all smooth, alcohol-resistant surfaces on vehicles, buildings, etc. Effortlessly removes the most stubborn dirt including oil, grease, silicone, wax residues, light spray mist, insects and similar. Glas Star runs off quickly without streaks and its gloss and smoothness additive improve the wiping action of the cleaning cloth. The alcohol content means that cleaning cloths dry faster. Also ideal for use in winter. With Daimler approval.

Glass Cleaner

Glass cleaner Pro

10 l 302010
20 l 302020
200 l 302200

Ready-to-use glass cleaner for all smooth surfaces on vehicles, buildings, etc. Effortlessly removes the most stubborn dirt including oil, grease, insects and similar. Runs off quickly without streaks and its gloss and smoothness additive improves the wiping effect of the cleaning cloth. With fresh fragrance.

Gc

Glasfix Neu

Glass cleaner concentrate

Concentrated glass cleaner for all smooth surfaces on vehicles, buildings, etc. Removes all types of dirt including oil, grease and similar hard to remove residues. Runs off without streaks and is suitable for polycarbonates.

Gf



10 l 126010
20 l 126020

Quick & Shine

Allround finish spray

1 l 168001
10 l 168010

The all-round quick detailer for all smooth and painted surfaces (vehicle paintwork, painted wood, glass, plastic parts, consoles, painted furniture and musical instruments, stainless steel surfaces, etc.). Cleans, maintains and preserves in a single step. The surfaces receive a colour deepening and a streak-free, brilliant gloss. Finger marks and light dirt are removed quickly and easily. The treated parts are conserved and repel water and dirt and are protected from becoming dirty again quickly (lotus effect). Quick & Shine is quickly removed and is therefore easy to use. Previously applied veneers or waxes are preserved. Particularly suited for quick finishing of exhibited goods in showrooms or at fairs, as well as for quick valeting of vehicles. With Daimler approval.

Qs

Fse

Finish Spray exterior*Quick detailer with limescale remover*

1 l 285001
10 l 285010

All-round detailing spray for fast care of all external vehicle surfaces such as paintwork, glass and plastics. With its special formula even stubborn limescale stains are removed quickly and without leaving any residue. Cleans, maintains and preserves in a single step. Depth of colour is returned leaving a smooth brilliant high gloss free from streaks. Finish Spray exterior is quickly removed, is easy to use and protects the surfaces against new dirt.

Eu

Eulex*Adhesive & stain remover*

1 l 43001

Special product for the quick removal of adhesives (eg sticker residues), rubber, tree resin, spray mist, ink stains, oil, greases, tar, etc. from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Evaporates quickly and without leaving residues and contains no halogenated hydrocarbons. With Daimler approval.

Eum

Eulex M*Adhesive remover M*

1 l 264001

Low-odour special product for the effortless removal of adhesive, tree sap and rubber marks even from matt-painted vehicles, glass surfaces, etc. Penetrates quickly into the organic residues and softens them and this enables easy removal. The product's active ingredients are not flammable and only evaporates slowly. Contains no halogenated hydrocarbons. With Daimler approval.

Euv

Eulex V*Adhesive remover V*

10 l 364010

The low-odor special product for the removal of adhesive buildup after the removal of large-area films or advertising stickers on vehicles and glass surfaces. Penetrates quickly into residues of adhesives, tree resin and waxes, softening them and thus enabling easy removal. Due to its special solvent, Eulex V is a special low-odor and mild variant compared to the usual vinegar ester / acetone-containing adhesive removers. VW approved.

Op

Orange Power*Adhesive, tree resin and rubber remover*

1 l 192001
10 l 192010

Quick-acting, slow vaporising special product based on natural orange extracts. Removes adhesive residues, eg removing labelling on vehicles. Rubber and resin residues, ink stains, oil, greases, tar and chewing gum, etc., can also be removed without any problems from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Contains no halogenated hydrocarbons and is pleasant to use thanks to its fresh orange fragrance.

**Cabriodach-Versiegelung***Convertible roof sealant*

High-value sealant based on organic fluorine resins waterproofs and protects all fade-resistant textiles such as convertible fabric tops, tents, outdoor textiles, etc., from wet and dirt. Creates a colour-intensifying, stain repellent and hydrophobic effect.

Cv



400 ml 234412



Dealership & Industry

03. Dealership & Industry

- 3.1 Alkaline Cleaners
- 3.2 Acid Cleaners
- 3.3 Glass
- 3.4 Adhesive and Tar Remover
- 3.5 Parts Cleaners
- 3.6 Workshop and Special Products



Extreme dirt loads in workshops and industry demand powerful products. These have to meet all requirements for fast, thorough and environmentally friendly cleaning far beyond the standard commercial cleaning level. Through decades of research and development in this area, we have a wide range of highly effective special cleaning agents. With dosing systems individually adapted to your local conditions, we guarantee easy handling as well as economical use of our highly concentrated products. Many of our products are fast-separating, easily biodegradable beyond the strict legal requirements and therefore optimally suited for both light liquid separators and biological water treatment plants. All our sales representatives are in possession of the certificate of competence for light liquid separator systems according to DIN 1999-100. We will be pleased to support you in the areas of product application, process optimization, waste and process water optimization as well as in environmental and occupational safety issues. Well-known industrial companies, automobile manufacturers, countless car dealerships and service companies have been relying on our product and service quality for decades.

Floor and universal cleaners

Copo Star
Workshop floor and industrial cleaner

Highly concentrated, phosphate- and solvent-free, high-alkaline cleaner for removing the heaviest dirt such as oil, greases, environmental dirt, graphite dusts, rubber marks, etc. Because of its enormous dirt fragmenting properties it is ideally suited for use in cleaning workshop floors and for industrial, engine and commercial vehicle cleaning (chassis, tarpaulins, etc.), as well as for removing copolymer-based floor sealants. Optimally suited as well for biological service water treatment plants.

- 11 kg 27011
- 22 kg 27022
- 225 kg 27225

pH 13,4
Cs

Copo Star BMP-G
Workshop floor and industrial cleaner G

Foam-inhibited highly concentrated, NTA-, phosphate- and solvent-free, high-alkaline cleaner for removing the heaviest dirt such as oil, greases, environmental dirt, graphite dusts, rubber marks, etc. Because of its enormous dirt fragmenting properties it is ideally suited for use in cleaning workshop floors and for industrial, engine and commercial vehicle cleaning (chassis, tarpaulins, etc.), as well as for removing copolymer-based floor sealants. Optimally suited for biological service water treatment plants. With Daimler approval.



- 10 kg 138010
- 21 kg 138021
- 218 kg 138218

pH 12,9
Csg

Copo Star 96
Workshop floor and industrial cleaner 96

The concentrated, phosphate- and solvent-free, highly alkaline cleaner for removing heavy soiling such as oils, greases, environmental dirt, graphite dust, rubber abrasion, etc. Due to its soil-repellent properties, it is ideal for workshop floor, industrial, engine and commercial vehicle cleaning (chassis, tarpaulins, etc.) as well as for removing copolymer-based floor sealants. Also optimally suited for biological service water treatment plants.



- 21 kg 16021
- 225 kg 16225

pH 12,8
Cs9

pH 12,5
Gs**Green Star***Universal cleaner*

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3

1 l	25001
5 l	25005
11 kg	25011
22 kg	25022
225 kg	25225

pH 12,5
Gss**Green Star schaumarm***Universal cleaner schaumarm*

The low-foaming version of Green Star.



11 kg	24011
22 kg	24022
225 kg	24225
1100 kg	24000

pH 12,4
Gs9**Green Star 96***Universal cleaner 96*

The concentrated, phosphate- and solvent-free, alkaline universal cleaner. Due to its high dirt and oil carrying capacity, it is universally applicable for workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks as well as engine washing. Special corrosion inhibitors ensure high material compatibility with sensitive components such as anodized aluminium. For use in spray extraction and other carpet cleaning equipment, we recommend the addition of the foam inhibitor KocEntschäumer. Also optimally suited for biological service water treatment plants. VDA-compliant Class A: Application time max. 5 min, max. application concentration 1:2

11 kg	29011
22 kg	29022
225 kg	29225

pH 9,8
Cc**Cosmo-Clean***Safety floor cleaner concentrate*

Highly concentrated, mild-alkaline, foam-inhibited, NTA- and solvent-free safety cleaner for mechanical and manual cleaning of industrial, workshop and other building floors. In comparison with other cleaners, the danger of slipping on surfaces that are still wet is considerably reduced. Existing floor sealants or coatings are not impaired. A selected combination of detergent substances and phosphates guarantees sensational cleaning results with extremely high dilutability at the same time. With a fresh lemon fragrance. With Daimler approval.

11 kg	193011
22 kg	193022
235 kg	193235
1100 kg	193000

Green Star BMP*Universal cleaner, mild-alkaline*

Highly concentrated, foam-inhibited, mild-alkaline universal cleaner free of phosphate, solvents and NTA, for mechanical and manual cleaning of workshop, industrial and office floors. Existing floor sealants or coatings are not impaired. Thanks to its enormous dirt and oil carrying capacity and highest material compatibility it is also ideal for prewashing and engine washing for cars and trucks, as well as for machine and workpiece cleaning. With re-greasing additives and temporary corrosion protection. Optimally suited as well for biological service water treatment plants. With Daimler approval. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:2

11 kg	66011
21 kg	66021
225 kg	66225
1050 kg	66000


Special CleanerspH 9,5
Gsb**Mehrzweckreiniger***Interior & special cleaner*

Highly effective alkaline intensive cleaner for cars, industrial and building cleaning. Deep, thorough removal of oil, greases, ink, soot, nicotine and common road dirt. For plastics, textiles, upholstery, machinery, etc. Mehrzweckreiniger has an excellent dirt dissolving and carrying capacity. Provides a pleasant scent for the surroundings. With Daimler approval.



1 l	86001
11 kg	86011
21 kg	86021
225 kg	86225

pH 12,5
Mzr



Felgenreiniger A

Rim cleaner, acidic, for wheel washing systems



Highly concentrated, phosphoric acid based rim cleaner for cleaning dismantled acid-resistant wheels/rims in mechanical wheel/rim washing systems (closed systems). Brake dusts and other inorganic dirt are removed quickly and thoroughly. Extremely economical consumption. With Daimler approval.

23 kg 300023
230 kg 300230




Hallenreiniger mild-sauer

Workshop & stainless steel cleaner, acidic



Mild cleaner based on phosphoric acid for all acid-resistant surfaces such as washing bay tiles, stainless steel units, plastic facings, etc. Limescale, environmental dirt, rust blooms and other inorganic dirt are removed quickly and thoroughly. Has extremely good material compatibility. Contains no fluoric or hydrochloric acid, and no bifluoride, and is therefore suitable for use in biological service water treatment plants (in strict accordance with the default pH values).

23 kg 301023



Hallenreiniger sauer

Washing bay cleaner, acidic



Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant surfaces such as washing bay tiles, etc. Limescale, environmental dirt, rust bloom and other inorganic dirt are removed very quickly and thoroughly. Contains no fluoric acid, and no bifluoride, and is therefore suitable for use in biological service water treatment plants (in strict accordance with the default pH values).

23 kg 265023



Felgenreiniger CL

Rim & washing bay cleaner, acidic

23 kg 247023
225 kg 247225

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust stains, limescale, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. The optimal combination of cleaning performance and material compatibility.

Felgenreiniger extrem

Rim cleaner, acidic, extreme



Extremely acidic hydrochloric acid based special cleaner for all hydrochloric acid resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust bloom, limescale, cement residues, environmental dirt and other inorganic dirt are removed very quickly and thoroughly.

11 kg 187011
22 kg 187022
225 kg 187225

Gla

Glas Star*Glass cleaner concentrate, premium*

10 l	44010
20 l	44020
200 l	44200

The concentrated, alcohol based glass cleaner for all smooth, alcohol-resistant surfaces on vehicles, buildings, etc. Effortlessly removes the most stubborn dirt including oil, grease, silicone, wax residues, light spray mist, insects and similar. Glas Star runs off quickly without streaks and its gloss and smoothness additive improve the wiping action of the cleaning cloth. The alcohol content means that cleaning cloths dry faster. Also ideal for use in winter. With Daimler approval.

Gc

Glass Cleaner*Glass cleaner Pro*

10 l	302010
20 l	302020
200 l	302200

Ready-to-use glass cleaner for all smooth surfaces on vehicles, buildings, etc. Effortlessly removes the most stubborn dirt including oil, grease, insects and similar. Runs off quickly without streaks and its gloss and smoothness additive improves the wiping effect of the cleaning cloth. With fresh fragrance.

Gf

Glasfix Neu*Glass cleaner concentrate*

10 l	126010
20 l	126020

Concentrated glass cleaner for all smooth surfaces on vehicles, buildings, etc. Removes all types of dirt including oil, grease and similar hard to remove residues. Runs off without streaks and is suitable for polycarbonates.

Asc

Allround Surface Cleaner*Surface cleaner special*

500 ml	367500
10 l	367010

Ready to use surface cleaner for the car, home and workplace. Finger-marks, dust, grease and all other forms of dirt are all swiftly and thoroughly cleaned away. Leaves a residue and streak free clean finish on all smooth surfaces including non-polar materials such as plastics. Also for use with a cleaning gun (such as Cyclone, Art.No. 999021) for great results on ventilation slots, textiles etc. because the formulation does not leave any water marks or chemical residue behind. Has a pleasant scent.

Qs

Quick & Shine*Allround finish spray*

1 l	168001
10 l	168010

The all-round quick detailer for all smooth and painted surfaces (vehicle paintwork, painted wood, glass, plastic parts, consoles, painted furniture and musical instruments, stainless steel surfaces, etc.). Cleans, maintains and preserves in a single step. The surfaces receive a colour deepening and a streak-free, brilliant gloss. Finger marks and light dirt are removed quickly and easily. The treated parts are conserved and repel water and dirt and are protected from becoming dirty again quickly (lotus effect). Quick & Shine is quickly removed and is therefore easy to use. Previously applied veneers or waxes are preserved. Particularly suited for quick finishing of exhibited goods in showrooms or at fairs, as well as for quick valeting of vehicles. With Daimler approval.

Op

Orange Power*Adhesive, tree resin and rubber remover*

Quick-acting, slow vaporising special product based on natural orange extracts. Removes adhesive residues, eg removing labelling on vehicles. Rubber and resin residues, ink stains, oil, greases, tar and chewing gum, etc., can also be removed without any problems from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Contains no halogenated hydrocarbons and is pleasant to use thanks to its fresh orange fragrance.

1 l	192001
10 l	192010

Eulex*Adhesive & stain remover*

Special product for the quick removal of adhesives (eg sticker residues), rubber, tree resin, spray mist, ink stains, oil, greases, tar, etc. from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Evaporates quickly and without leaving residues and contains no halogenated hydrocarbons. With Daimler approval.

1 l	43001
-----	-------

Eu

Eum**Eulex M**
Adhesive remover M

Low-odour special product for the effortless removal of adhesive, tree sap and rubber marks even from matt-painted vehicles, glass surfaces, etc. Penetrates quickly into the organic residues and softens them and this enables easy removal. The product's active ingredients are not flammable and only evaporates slowly. Contains no halogenated hydrocarbons. With Daimler approval.

1 l 264001

Euv**Eulex V**
Adhesive remover V

The low-odor special product for the removal of adhesive buildup after the removal of large-area films or advertising stickers on vehicles and glass surfaces. Penetrates quickly into residues of adhesives, tree resin and waxes, softening them and thus enabling easy removal. Due to its special solvent, Eulex V is a special low-odor and mild variant compared to the usual vinegar ester / acetone-containing adhesive removers. VW approved.



10 l 364010

Tea**Teerwäsche A**
Bitumen & tar remover A

Solvent-based careful special cleaner for the effortless removal of tar and bitumen. Suitable for all solvent-resistant surfaces of cars, commercial vehicles, carwash brushes, workshop floors, machinery, etc. Free from halogenated hydrocarbons. With Daimler approval.

1 l 391001
10 l 391010
20 l 391020pH 13,5
Tr**Teilereiniger alkalisch**
Parts cleaner A

Powerful, high-alkaline, foam-inhibited parts cleaner for quick and thorough cleaning of extremely dirty workpieces and units made of steel, aluminium, cast materials, etc., in immersion, spray and ultrasound baths. Oil, grease, oil carbon, soot, etc., are removed quickly and thoroughly. Quick-separating and with very good temporary corrosion protection. Rust grade in accordance with DIN 51360/2 0-1 at 3%. With Daimler approval.

23 kg 38023
1230 kg 38000**Teilereiniger BMP mild alkalisch**
Parts cleaner B

Mild-alkaline, foam-inhibited parts cleaner for quick and thorough cleaning of workpieces made of steel, aluminium, cast materials, etc., in industrial production and processing in immersion, spray and ultrasound baths. Removes cooling lubricants and processing oils quickly and thoroughly. Possesses good microbiological stability for a long service life. Quick-separating and with very good temporary corrosion protection. Rust grade in accordance with DIN 51360/2 0 at 3%.

pH 10,2
Trb

21 kg 174021

Pls

Plastiklack-Spray schwarz*Spray paint, matt black, RAL 9005*

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.

400 ml 103412

Wasserenthärter*Water softener*

Liquid water softener for protection against lime deposits and scale formation in pipes, heating coils, storage tanks and aggregates in hot water systems. The crystallization is prevented by the Tresh-Hold-Effect.



11 kg 306011
225 kg 306225

KocEntschäumer*Defoamer concentrate*

The highly concentrated, fast and very effective defoamer. It eliminates or prevents undesired foam formation in oversoaped industrial water treatment plants, cooling lubricant circuits and strongly foaming cleaning solutions (e.g. when used in spray extraction equipment, automatic floor cleaning machines, parts cleaning machines, etc.) Even a very small amount causes the existing foam to collapse spontaneously or not to form at all.



1 l 189001

Oil Dry - Ölbindemittel grob*Oil binding agent coarse*

The perfect binding agent for wiping up oil, acids and other liquids. Spread a sufficient amount over the contaminated area, wait for a short time and then sweep up. 20 kg sack.

1 Stk 999057

pH 7
We

Ken



Care & Safety

- 4.1 Skin Protection
- 4.2 Skin Cleansing
- 4.3 Skin Care
- 4.4 Dispenser System
- 4.5 Protective Products
- 4.6 Protective Gloves

Workers in trade and industry are at risk from sometimes extreme pollution and harmful working materials. Targeted protection is necessary here. Skin diseases are at the top of the list of occupational diseases. The causes are often insufficient skin protection, contact with skin-irritating or harmful substances and cleaning with aggressive cleaning products. An optimal system means: skin protection before work, skin cleaning after work and regenerating care after cleaning. We offer you effective and skin-compatible products for all three areas, as well as the appropriate dispenser systems. We will be happy to create an individual skin protection plan for your company, because skin protection is occupational safety and thus an investment in the future!

Gentle Hand Protect
Skin Protection Lotion



The quickly absorbing, non-greasy skin protection lotion for protection against aqueous and non-aqueous working substances, such as cooling lubricants, oils, paints and div. adhesives etc. The easily spreadable, quickly absorbed formulation reduces general skin stress and facilitates subsequent skin cleansing. Dermatologically tested and pH skin neutral. Silicone and fragrance free.

1 l 423001



Skin cleansing

Gentle Hand Wash
Liquid Soap



The environmentally friendly liquid soap with glycerin and skin-friendly sugar surfactants for cleaning light soiling of the skin. Gentle Hand Wash consists of selected, high-quality raw materials, which are over 98% of plant origin. Skin-friendly due to refatting substances and moisturizing glycerin, pH skin neutral and dermatologically tested. Silicone-free.

2 l 431002



Gentle Hand Scrub
Premium Hand-Cleaning Paste



The innovative hand-cleaning paste for effortless removal of the heaviest soiling such as oils, fats, tar, bitumen, etc. is pH skin neutral and dermatologically tested. The skin-friendly formulation with natural abrasives from walnut shell flour cleans deep into the pores and moisturizes, making the paste suitable for sensitive skin. Due to the optimized formula, clogging of drains is not an issue. Silicone-free.

2 l 424002



Skin care

Gentle Hand Care
Skin Care Lotion



The moisturising and easily spreadable skin care lotion, which is quickly absorbed. Can promote the regeneration of affected skin areas when used consistently. Due to the enrichment of high-quality active substances and ingredients, the lotion is particularly caring as well as protective. Dermatologically tested as well as pH skin neutral. Silicone and fragrance free.

1 l 422001



 <p>Skin protection before work</p>  <p>Gentle Hand Protect Skin Protection Lotion</p> <p>Use on dry skin</p>	 <p>Skin cleansing after work</p>   <p>Gentle Hand Wash Liquid soap</p> <p>Use on wet skin</p> <p>Gentle Hand Scrub Premium Hand-Cleaning Paste</p> <p>Use on dry skin</p>	 <p>Skin care after work</p>  <p>Gentle Hand Care Skin Care Lotion</p> <p>Use on dry skin</p>
---	--	---

All products for occupational and skin protection are dermatologically tested.

The skin-win-solution.



Dispenser

Modern and ideally matching protection system for optimum hygiene – from protection to care. Incl. universal fitting Dispenser for all products of the Gentle Hand Series.

With our dispensing system, Gentle Hand Series soft bottles can be dispensed hygienically, economically and efficiently.

1 pce 9998155



Feinstaubmaske 3M-9312



Mask for protection against particles/fine dust with exhalation valve (minimises heat and moisture formation under the mask). Class: FFP1. Limit of use: 4 x WEL for particles. Packed individually and hygienically.

999326

Dräger Halbmaske X-Plore 4740 TPE

Größe M/L



The robust half mask for highest demands with excellent wearing comfort and first-class seal fit. A wide range of filters against gases, vapors and particles makes it ideal for use in industry and trade. The combination of soft mask body, specially shaped nose area and sturdy plastic housing ensures an exact fit, high sealing fit and almost pressure-free wearing. By simply opening the neck closure, the mask can be removed without having to take off the helmet, for example. When the mask is in the 'ready position', it remains with the inside against the body and is thus protected from contamination. The mask is made of durable, chemical-resistant material and can be worn well under many types of helmets. The EH strap is made of neoprene and is therefore very easy to clean.

- The mask is supplied without a filter!

999528

Dräger Kombinationsfilter 940

A2B2E2-K1-P2 R D



Combination filter with standard threaded connection Rd40 according to EN148-1. Whether in the chemical or automotive industry, in shipbuilding, in metal working and processing, in supply and disposal, Dräger respiratory protection filters have been synonymous with experience and safety worldwide for decades.

Combination filter with standard threaded connection Rd40 according to EN148-1 for use with half masks Xplore 4000 and full face masks Dräger X-plore 6000.


The filter is suitable for the mask we offer „Dräger Halbmaske X-Plore 4740 TPE Größe M/L“, Art. No.: 999528.

Read instructions for use before use.

999529

Your ear guard.

Hearing Protection
999606



The uvex K2 earmuffs in black, yellow with the Koch-Chemie branding. As part of the occupational safety equipment, the hearing protection meets the EN 352-1 standard with 32 decibel insulation. Thanks to the soft surface and memory foam ear cushions, the earmuffs are easy to mould and guarantee a comfortable fit even when worn for long periods. The headband is also padded. Its low weight and compact size contribute to the wearing comfort. The perfect wearing position can be found by the easy-to-use length adjustment.



Latex-Handschuhe glatt

Natural rubber latex gloves with cotton lining for safe handling of liquids. Safety class AQL 4.0 (EN 374).
Shipping unit: 1 pair



7 999173
10 999116

Einweg-Nitrilhandschuhe puderfrei

Thin gloves made of nitrile.
Shipping unit: pack with 100 pcs.



L 999492
M 999491
S 999490
XL 999493

Einweg Nitril extrem

Thin gloves (0.2 mm) made of nitrile rubber. Allergy free, food safe, oil and grease resistant and high tear strength. Resistant also to hydrofluoric acid, solvents and hydrogen peroxide. Packing of 50 pieces (size L), 45 pieces (size XL).

Power levels

n-Heptane: class 4 (> 120 min.)
Sodium hydroxide 40%: class 6 (> 480 min.)
Sulfuric acid 96%: class 2 (> 30 min.)
Hydrofluoric acid 10%: class 4 (> 120 min.)
Hydrogen peroxide 35%: class 6 (> 480 min.)

999533
999534





Accessories

- 5.1 Polishing Pads, Backing Plates and Sanding Media
- 5.2 Polishers, Electrical and Compressed Air Appliances
- 5.3 Brushes, Pads, Squeegee Driers
- 5.4 Cloths, Sponges and Washing Gloves
- 5.5 Paper Rolls and Accessories
- 5.6 Spray Bottles
- 5.7 Pumps and Dosers
- 5.8 Low- and High-Pressure Spray Systems
- 5.9 Car Wash Accessories
- 5.10 Canister Accessories
- 5.11 Waster Waster Set and Accessories
- 5.12 Various

New!

The new Heavy!

Our Heavy Cut System is getting an update after three years. At the end of 2018, we introduced our innovative PolishSystem, in which the Heavy Cut polishing compound and the Heavy Cut Pad have since been responsible for removing coarse scratches. Under the motto „Making a top seller even better“, we are currently in the final stages of our development project to improve the Heavy Cut polishing compound and the matching pad. The result: A Heavy Cut H9.02 with a higher gloss level and a matched Heavy Cut Pad with improved durability.

With system to the best result

The core of the Koch-Chemie PolishSystem is the system security provided by perfectly coordinated polishes and pads. In other words, the chemistry works in a system with the accessories to achieve the best possible result. That is why we have not only improved our Heavy Cut polishing compound, but also the Heavy Cut Pad. Our improved pad impresses with its improved durability. When used with the H9.02, the pad easily brings out the highest possible cut and shine, so that processing in the system remains as easy as usual.




Heavy Cut H9.02
Coarse polishing compound,
silicone-oil-free

250 ml **458250**
1 l **458001**



Heavy Cut Pad:
5x Ø 45 x 23 mm 999611
Ø 76 x 23 mm 999577
Ø 126 x 23 mm 999578
Ø 150 x 23 mm 999579



Heavy Cut Pad



Abrasive sponge for removing strong weathering and deep scratches using the Heavy Cut H9.01. The short height of 23mm creates low torsion forces, very good handling and the highest level of stability. The special density of the foam material enables long-lasting compression hardness during polishing. The optimised reticulation (open cellular structure) and cell count contribute to a high level of abrasiveness and excellent hygiene factors. The milling edge ensures extra flexibility for the pads, enabling them to fit around contours easier. The colourful non-woven material, suitable for polishing, ensures process safety.

Compression hardness: 17
Abrasiveness: 9

5x Ø 45 x 23 mm / 1,7" **999611**
 Ø 76 x 23 mm / 3" **999577**
 Ø 126 x 23 mm / 5" **999578**
 Ø 150 x 23 mm / 6" **999579**

Fine Cut Pad



Medium abrasive sponge for removing moderate weathering and scratches using the Fine Cut F6.01. The short height of 23mm creates low torsion forces, very good handling and the highest level of stability. The special density of the foam material enables long-lasting compression hardness during polishing. The optimised reticulation (open cellular structure) and cell count contributes to a high level of abrasiveness and excellent hygiene factors. The milling edge ensures extra flexibility for the pads, enabling them to fit around contours easier. The colourful non-woven material, suitable for polishing, ensures process safety.

Compression hardness: 12
Abrasiveness: 5

5x Ø 45 x 23 mm / 1,7" **999614**
 Ø 76 x 23 mm / 3" **999580**
 Ø 126 x 23 mm / 5" **999581**
 Ø 150 x 23 mm / 6" **999582**

Micro Cut Pad



High-quality special sponge for removing fine scratches, holograms and polishing marks using the Micro Cut M3.02 and Micro Cut & Finish P3.01. The short height of 23mm creates low torsion forces, very good handling and the highest level of stability. The special density of the foam material enables long-lasting compression hardness during polishing. The optimised reticulation (open cellular structure) and cell count contribute to a high-shine finish and very good hygiene factors. The milling edge ensures extra flexibility for the pads, enabling them to fit around contours easier. The colourful non-woven material, suitable for polishing, ensures process safety.

Compression hardness: 10
Abrasiveness: 5

5x Ø 45 x 23 mm / 1,7" **999612**
 Ø 76 x 23 mm / 3" **999583**
 Ø 126 x 23 mm / 5" **999584**
 Ø 150 x 23 mm / 6" **999585**

Polish & Sealing Pad



Extra-fine finish sponge for economically and evenly applying sealing products such as the 1K Nano or Lack-Polish grün P1.01. The short height of 23mm creates low torsion forces, excellent handling and the highest level of stability. The optimised reticulation (open cellular structure) and cell count contribute to excellent hygiene factors. The milling edge ensures extra flexibility for the pads, enabling them to fit around contours easier. The colourful non-woven material, suitable for polishing, ensures process safety.

Compression hardness: 4
Abrasiveness: 2

5x Ø 45 x 23 mm / 1,7" **999613**
 Ø 126 x 23 mm / 5" **999586**
 Ø 150 x 23 mm / 6" **999587**

One Cut Pad



Medium abrasive sponge for removing moderate weathering and scratches using the One Cut and Finish P6.01. The short height of 23mm creates low torsion forces, very good handling and the highest level of stability. The special density of the foam material enables long-lasting compression hardness during polishing. The optimised reticulation (open cellular structure) and cell count contributes to a high level of abrasiveness and excellent hygiene factors. The milling edge ensures extra flexibility for the pads, enabling them to fit around contours easier. The colourful non-woven material, suitable for polishing, ensures process safety.

Compression hardness: 12
Abrasive: 5

5x Ø 45 x 23 mm / 1,7" **999615**
 Ø 76 x 23 mm / 3" **999591**
 Ø 126 x 23 mm / 5" **999592**
 Ø 150 x 23 mm / 6" **999593**

Schleifschwamm weiß, hart



The most abrasive, extra hard polishing pad for removing severe weathering and deep scratches by means of polishing compounds such as Heavy Cut (H802), Schleifpaste (H701) and Feinschleifpaste (F501). In comparison with lambswool pads leaves behind fewer traces of polish. The reticulated (open-celled) material guarantees a long service life and low heat development.

Compression resistance: 20
Abrasive: 7

Ø 80x30 mm **999275**

Schleifschwamm weiß, hart, V-Form



The perforated version of the Polishing pad, white, hard. Suitable for all machines, but especially developed for high performance eccentric machines.

Ø 145 x 30 mm **999259V**
 Ø 163 x 30 mm **999258V**

Schleifschwamm gelb, mittelhart

The classic, medium-hard polishing pad for removing medium-heavy weathering and scratches by means of polishing compounds such as Heavy Cut (H802), Schleifpaste (H701) and Feinschleifpaste (F501). The reticulated (open-celled) material guarantees a long service life and low heat development.

Compression resistance: 5
Abrasive: 5

Ø 80 x 30 mm **999276**
 Ø 130 x 30 mm **999267**
 Ø 160 x 30 mm **999044**



**Thermochrom Pad 76x23 mm
verfärbend**



The high-quality special sponge with thermochromic properties for removing light scratches, holograms and polishing marks. The Thermo Pad is especially recommended for polishing acrylic glass headlights, as these react temperature-sensitive and the temperature of 40°C - 45°C must not be exceeded during grinding and polishing. Due to the thermochromic properties of the colour pigments in the pad, the Thermo Pad changes colour from orange to yellow from a temperature of 45°C onwards. That way the colour change serves as an indicator. The pad returns to its original colour as soon as the temperature drops again. The Thermo Pad is part of the Headlight Polish Set (Art. No. 999600) and can also be ordered separately as a spare part. Compression hardness: 10. Abrasiveness: 5.

999602

Polierteller FLEX, 45mm Pads



The damped, original FLEX backing plate with Velcro for the FLEX PXE 80. With its compact size, the polishing plate for 45 mm pads is particularly suitable for polishing small, angled vehicle areas. Suitable for eccentric operation.

9998139

**Antihologrammschwamm orange,
gewaffelt**



Honeycomb version of the round orange antihologram pad. High-grade special pad for the permanent removal of fine scratches, holograms and traces of polish.

Ø 135x25 mm 999289
Ø 160x25 mm 999257

Microfaser-Polierpad



Finishing (silicone-oil-free) microfibre polishing pad for cleaning and activating glass surfaces by means of cleaning milk (component 1) before the Nano-Glasversiegelung (component 2).

Ø 130x20 mm 999308

Padwasher



Clean pads at all times for perfect polishing results. Universal pad washer for fast, thorough and dust-free cleaning of all types and sizes of polishing pads. Place the polishing pad onto the pad cleaner's toothed wheels and run the rotary polisher at low speed for approx. 40 seconds. Then lift the polisher slightly and dry the polishing pad at a higher speed.

999339

Stützteller

Teller für Druckluftexzentrerschleifer



Spare disc for compressed air orbital sander, 152 mm (999135).

Ø 152 mm 999150

**Teller für Makita Rotationsexzenter
PO5000C**



Spare disc for Makita PO5000C (999167).

999168


**Teller für Makita Rotationsexzenter
BO 6050**



Spare disc for Makita BO 6050 eccentric sander (999152).

999157

Polierteller, Sandwich



This polishing pad makes using the machine much easier, because slight slanting of the polisher is balanced out, thus preventing the machine from "dancing". The special configuration (pad, cellular rubber, soft foam, cellular rubber, Velcro) guarantees a tough bond between the cellular rubber and the Velcro® surface. Suitable for lambswool and foam pads. Adapter thread M14 (for rotary polishers).

Ø 123 mm 999410
 Ø 147 mm 999411
 Ø 173 mm 9998110

Polierteller, extra weiches Schaumpolster



This polishing pad makes using the machine much easier, because slight slanting of the polisher is balanced out, thus preventing the machine from "dancing". In particular when lambswool pads are used, the pad's soft foam layer adjusts optimally to the contours of the surface. Adapter thread: M14 (for rotary polishers).

Ø 73 mm 999283
 Ø 123 mm 999262
 Ø 147 mm 999261
 Ø 147 mm 999263
 Ø 197 mm 999313

Polierteller mit Zellkautschukpolster



Sturdy, high-quality polishing pad with hard cellular rubber cushion for all polishing pad. With tough bond between the cellular rubber and the Velcro® surface. Adapter thread: M14 (for rotary polishers).

Teller für Mini-Polisher



Spare disc for mini compressed air polisher (999320).

Ø 75 mm 999170

Sanding Media

Abralon


Silicon carbide based sanding pad consisting of a sanding pad, foam centre and Velcro® backing for sanding spraying defects, paint blendings, scratches and coarse sanding (eg with 2000 Abralon) on paintwork, etc. The net structure means that water and air can move freely around the abrasive grains, which means that practically dust-free sanding is possible. The treated surfaces can be polished to a high gloss with the polishing compounds.

1000'er Körnung



Ø 77 mm 999603

2000'er Körnung



Ø 77 mm 999250
 Ø 150 mm 999252

4000'er Körnung



Ø 77 mm 999251
 Ø 150 mm 999253



Schleifblüten P 2500

Premium microfinishing stickers (P2000 grain) for removing paint blemishes, deep scratches, etc. The treated surfaces can be buffed perfectly to a high gloss with our polishing compounds.

Shipping unit: 1 sheet with 10 stickers.

Ø 32 mm 999318



Stempel für Schleifblüten

Punch for Velcro® and adhesive microfinishing stickers.

Ø 31 mm 999322

Lambswool Pads

Lammfell-Pad



Extra thick and non-pilling (lint-free) natural lambswool pad for use with polishing compounds. Lambswool is the polishing medium with the highest abrasiveness and is therefore ideally suited for removing the effects of severe weathering, deep scratches and sanding traces. Top quality with a long service life. Optimally suited for working with Heavy Cut (H802) and Feinschleifpaste (F501).

Abrasiveness: 9

Ø 80 mm 999274
 Ø 135 mm 999254
 Ø 150 mm 999286
 Ø 180 mm 999284

Flex PXE 80 10.8-EC/2.5 Set



The Flex PXE 80 is the ideal complementary device for every vehicle refurbisher, painter and the spot repair sector. Flexible and easy as never before from flower sanding to hologram-free finishing with one unit. It is ideally suited for rotary and eccentric free-running work with 3 and 12 mm strokes. It has an innovative, tool-free quick-change system for exchanging the rotary and eccentric drive types. The Flex PXE 80 is equipped with a damped special Velcro pad for polishing and grinding. The ergonomic and flexible grip options thanks to the optimally placed SoftGrip surfaces allow the device to fit perfectly in the hand. Other advantages:

- Throttle switch for a slow and sensitive start and lock for continuous running.
- High running smoothness due to vibration optimization
- With impact protection ring to protect surfaces
- Brushless motor with higher efficiency and longer service life
- Electronic Management System (EMS) protects the machine, extends service life and increases efficiency
- LED battery capacity indicator
- FLEX battery system: operation with all 10.8 V battery packs

999594

Makita

Makita Rotationsexzenter PO5000C



The powerful, extremely smooth-running eccentric polisher with constant electronic speed control for consistent speed even at high loads. Can be set at either pure eccentric motion (for finishing and sanding) or eccentric motion with forced rotation (for permanent hologram removal). The Makita PO5000C not only has a soft-start function in both operating modes, but also vibration dampening and a switch lock, making it even more pleasant to use. The mounted sanding plate has grooves, which makes it easier to change pads and thereby increases the lifespan of the Velcro fastener. Idle speed: 0 - 6,800 rpm. Stroke: 5.5 mm. Eccentric speed: 0 - 780 rpm. Power consumption: 900 W. Weight: 2.8kg.

Sanding plate diameter: 125 mm.

999167

Flex

Mittlere Flex PE 14-2 150




Powerful handy Flex rotary polisher (without disc) with perfect cooling for the highest loads. With soft starting, infinitely adjustable. Speed: 380-2100 rpm. Power consumption: 1400 Watt. Weight: 2.3 kg. Adapter thread: M14.

Polishing pad diameter: max. 200 mm.

999149

Kleine Flex PE 14-3 125



Lightweight handy Flex rotary polisher (without backing plate) for working in smaller areas (not for permanent use). Without slow start, infinitely adjustable. Speed: from 1100-3700 rpm. Power consumption: 1400 Watt. Weight: 2.2 kg. Adapter thread: M14.

Polishing pad diameter: max. 135 mm.

999020

Flex XFE 7-15 150

The Flex XFE 7-15 150 is an eccentric polishing machine for the professional vehicle refurbisher or painter. The polisher has a power of 420 watts and a polishing stroke of 15mm, which ensures a high efficiency. The eccentric polisher is ideal for working on temperature-sensitive paints, as this machine allows you to work with low heat on the surface. For this Flex uses the VR microprocessor electronics. This means: constant speed control by means of a tachogenerator, soft start, throttle switch, restart interlock after power failure, overload protection, temperature monitoring and speed preselection. The free-running drive ensures excellent working in the hologram-free finishing area with the Flex XFE 7-15 150. The ergonomic and flexible grip options through the optimally placed SoftGrip surfaces let the device fit perfectly in the hand.

The polishing machine is designed for use in vehicle preparation, paint shops, industry and trade, for all types of polishing work with polishing sponges or lambskin pads, for sanding work with Velcro sandpaper, for work on temperature-sensitive paints, for hologram-free work in the finishing area.

Further advantages & information:

- Throttle switch for a slow and sensitive start and lock for continuous operation.
- Damped special Velcro pad for polishing
- High running smoothness due to balancing compound
- Optimized airflow for best possible cooling effect of motor and gearbox. No disturbing exhaust air for the user
- Flat gear head reduces the difference to the surface. This allows to guide the machine safely in any position
- Weight: 2,4 Kg
- Cable length 4m
- Polishing discs: 125mm & 150mm - special velcro

999573

Flex BW 18.0-EC Akku-Gebläse

- Handy battery blower / leaf blower 18.0 V, battery capacity 2.5 / 5.0 Ah
- Electronic Management System (EMS) protects the machine, extends service life and increases efficiency
- Brushless motor with higher efficiency and longer service life
- Air volume regulation in 3 steps
- Ergonomically designed soft grip handle with on/off switch and lock for continuous operation
- Space-saving storage due to removable blow tube and nozzle
- With adapter and matching reducing nozzles for inflating e.g. air mattresses
- LED battery capacity indicator+ FLEX battery system: operation with all 18.0 V battery packs. Delivery without battery, without charger
- Ideal for hard to reach places
- Versatile and flexible use: thanks to four different attachments
- For removing by air blower leaves, dust and dirt in the engine or vehicle interior.
- Suitable for removing water residues in hard-to-reach places after the vehicle wash
- Also suitable as a leaf blower for quick and convenient removal of dry leaves from property surfaces

999595

Flex P-Set 55 R: Schnellladegerät CA 10.8/18.0 und 2x Akku AP 18.0/5.0

999598

For charging 10.8 and 18.0 V battery packs. With large LCD display for battery diagnostics and charge status. Charging time 10.8 V : approx. 40 min. for 2.5 Ah / for 4.0 Ah and approx. 55 min. for 6.0 Ah batteries. Charging time 18 V: approx. 40 min for 2.5 Ah and approx. 45 min for 5.0 Ah. Due to a special charging procedure, 80% of the charging capacity is reached after approx. 30 min. With integrated battery pack cooling, overheating, discharge and overload protection.

Battery pack Li-Ion 18.0 V with integrated charge and discharge protection, charge level indicator, dust and splash protection. Electronic Management System (EMS) protects the battery pack, extends service life and increases efficiency.

Flex Accu-Schnellladegerät CA10.8/18.0

999596

Flex Accu-Pack AP 18.0/5.0

999597

Compressed air technology

Cyclone Z-010



The perfect compressed air tool for cleaning difficult to access areas such as ventilation air vent ducts, seat rails, gear-lever cuffs, door rebates, etc., as well as for removing stubborn dirt from plastics and textiles (foot mats, convertible fabric tops, etc.). Also ideally suited for quick cleaning of polishing pads. The cyclone effect in combination with the cleaning solution removes dust particles with extremely great force from the surfaces that are to be cleaned. The required effort is considerably reduced. If the chemical supply is switched off (just switch the lever over) the cyclone is also eminently suitable for the quick removal of dust and for drying cleaned surfaces. Recommended products for cleaning: Mehrzweckreiniger (Mzr), Green Star (Gs). Application of engine conserver: Motorplast (Mp). Compressed air connection: 1/4

999021

Cyclone AZ2000



Turbo cleaning gun is an innovative cleaning tool that chooses powerful turbine technology as the motor mechanism to create the tornado effect. Its rotation speed can reach a maximum of 8,000 revolutions per minute. In addition, the air hopper is adjustable to control the rotation speed of the rotation set. Different cleaning results are achieved by adjusting the rotation speed. To significantly extend the life cycle of the rotation set, it is designed with rolling bearings so that there are no contact points between the outer metal spray tube and the air hopper. As a result, the air hopper cannot break or be damaged when the rotation set rotates. Rotation speed adjustable 1000 to 8,000 rpm. Powerful rotation method by turbo motor with roller bearings. Strong and sturdy mechanical design. Creative and controllable method of rotation speed.

Multifunctional system: cleaning wet or dry possible to remove dust or dirt from surfaces. Engine compartment, wheels, carpets, dashboards, plastics, upholstery. Easy cleaning of the nozzle and rotation set.

Technical data:

- Compressed air 5.0 to 8.0 bar
- Recommended compressed air 6.2 Bar
- Rotating speed range 1.000 to 8.000 rpm
- Air consumption 98 liter/min (6.2 Bar)
- Fluid consumption 0 - 160 cc/min (6.2 Bar)
- Particle diameter 1 to 5 µ
- Liquid capacity 1 L Cleaner Neutral, miscible with water

999605

Exzenterschleifer Druckluft, 152 mm



High quality, extremely light, low-noise and low-vibration eccentric sander with dust extraction and 152 mm (6) Velcro® driver pad. In combination with the black finish polishing pad (999292) optimal for effective working with our paint sealants. Idle speed: 10.000 rpm. Stroke: 5 mm Weight: 0.8 kg. Compressed air: 6.3 bar. Compressed air connection: 1/4

999135

Mini-Druckluft-Polisher-Set



999320

Polisher set for eliminating scratches, dust particles and other paintwork defects. The set consists of:

- 1 x Mini compressed air polisher with 75 mm disc, rotary (not orbital) rpm: 3.200, working pressure: 6.0 bar
- 1 x Lambswool Pad, Ø 80 mm (999274)
- 1x Heavy Cut Pad Ø 76 x 23 mm (999577)
- 1x Fine Cut Pad Ø 76 x 23 mm (999580)
- 1x Micro Cut Pad Ø 76 x 23 mm (999583)
- 1 x Block for micro sanding stickers (999322)
- 1 x Micro sanding stickers P2500, 1 sheet of 10 (999318)
- 1 x Microfibre frottee cloths 40 x 40 cm, blue (999066)

Lamps

Innenraumleuchte Line Light



For extremely bright illumination of the vehicle interior. Allows individual positioning with soft cover to protect the paint when the battery is empty. Can also be used with the charging cable only.

- Luminous period [hrs.]: 3
- Weight [g]: 470
- Variant: Bonnet C+R
- Luminous flux [lm]: 1000
- Battery capacity [mAh]: 5200
- Protection class (IP code): 65
- Charging time [hrs.]: 4
- Cable length [m]: 5
- Adjustable telescopic holder (1.2 - 1.7 m)

999526

Arbeitsleuchte Multimatch



Strong, battery operated, LED work light for painting, polishing, cleaning and preparation work. Due to the special LED, which has a high CRI value, is perfect for colour matching during painting. Ideal for displaying holograms (after polishing processes) and to improve the polishing quality (reduce expensive reworking). Very long lasting LED. Dust and waterproof (IP67). The work lamp Multimatch can be used both with the charging cable attached, and wirelessly with battery (up to 6 hours). 2.14 kg.

220 x 235 x 75 mm 999517

Vikan brushes handle compatible



Washbrush with water channel

Sturdy Vikan washing brush with water channel. The protective rubber edge prevents damage to paintwork. Compatible with Vikan handles 999233, 999223, 999222.

70 x 270 mm 999221



Large truck washbrush with water channel

Sturdy large-sized Vikan truck washing brush with water channel for cleaning larger areas. Compatible with Vikan handles 999233, 999223, 999222.

90 x 400 mm 999338



Large rim brush for trucks with water channel

Sturdy large Vikan rim brush for trucks, busses, etc. with water channel. Compatible with Vikan handles 999233, 999223, 999222.

140 x 200 mm 999230



Red floor scrubber with water channel

Robust, extremely long-life, effective Vikan floor scrubber with water channel for all heavily soiled areas. Can be used with or without water channel. Compatible with Vikan handles 999233, 999223, 999222.

65 x 275 mm 999298



Angle Washing Brush with Water Flow

The easy-to-use angled washing brush from Vikan makes it easy to clean surfaces, especially on commercial vehicles. Due to the angled shape, the bristles are in constant contact with the surface. The protective rubber edge prevents damage to the paintwork.

70 x 270 mm 9998150

Vikan pad holder and cleaning pads



Padholder Steel model

Vikan pad holder for effective cleaning of washing bay tiles, truck tarpaulins, etc. When used with acidic cleaners in particular this tool ensures increased safety, because in contrast to working with brushes or scrubbers, splashing of the cleaning solutions is avoided to the greatest extent. The patented pad holder system ensures that the pads are attached securely. Compatible with Vikan handles 999223, 999222 and pads 999296, 999297, 999454.

95 x 230 mm 999295



Padholder Hand model

Vikan pad holder, hand-held model. Compatible with pads 999296, 999297, 999454.

120 x 230 mm 999450



Green pad for padholder

Medium-hard pad for acidic or alkaline cleaning of extremely dirty tiles. Compatible with pad holders 999295, 999450.

120 x 250 mm 999296



White pad for padholder

Soft pad for acidic or alkaline cleaning of extremely dirty tiles, tarpaulins, etc. Compatible with pad holders 999295, 999450.

120 x 250 mm 999297



Dirt eraser pad for padholder

Dirt eraser pad (melamine material) for basic cleaning of porcelain stoneware, tiles, tarpaulins, etc. Compatible with pad holders 999295, 999450.

115 x 245 mm 999454

Vikan handles

Ergonomischer Stiel mit Wasserdurchlauf



Ergonomic Vikan handle made of aluminium with water channel, insulated grip. Compatible with Vikan articles 999342, 999221, 999338, 999230, 999298.

1500 mm 999233

Ergonomischer Stiel



Ergonomic Vikan handle made of aluminium (without water channel) with insulated grip. Compatible with Vikan articles 999342, 999221, 999338, 999230, 999298, 999259, 999299, 999406.

1500 mm 999223

Ergonomischer Teleskopstiel



Ergonomic telescopic Vikan handle made of aluminium (without water channel) with insulated grip. Compatible with Vikan articles 999342, 999221, 999338, 999230, 999298, 999259, 999299, 999406.

1500-2750 mm 999222

Wandhängeschiene Polypropylen, Gummi



Wall-mounted rail for hanging all Vikan brushes and handles. Where required, several modules can be mounted in series. Correct storage prolongs the brushes' service life considerably.

60x240 mm 999232

Surface dryer and squeegee dryer

Flächentrockner 350 mm



Vikan squeegee drier for fast and careful drying of large areas. Compatible with Vikan handles 999222, 999223.

350 mm 999299

Flächentrockner 450 mm



Large Vikan squeegee drier for fast and careful drying of large areas. Compatible with Vikan handles 999222, 999223.

450 mm 999406

Flächentrockner-Profi



Flexible squeegee drier with special paint protecting silicone lip for wiping precleaned paintwork and other surfaces such as windows, wall tiles, shower stalls, etc.

300 mm 999018

Moosgummischieber Metall



Sturdy, oil- and chemicals-resistant workshop and industrial floor squeegee.

750 mm 999095

Moosgummischieber-Stiel



Aluminium handle for foam-rubber squeegee.

1440 mm 999096

Wasserschieber



Vikan's oil-resistant wiper, made of black plastic, is ideal for removing water with its cellular rubber blade. In use with our workshop floor cleaners, also suitable for the removal of oils and industrial soiling.

600 mm 9998151

Car wash pre-wash brushes

**Vorwaschhandbürste mit Wildschweinborstenimitat**

Long-life prewash brush with premium, paint-protecting high-quality faux wild boar bristles. High water and foam absorption.

60x400 mm 999458

**Vorwaschbürste mit Wildschweinborstenimitat**

Durable pre-wash handwashing brush with high-quality faux wild boar bristles which go easy on your paintwork. Guarantees high water and foam absorption and because of the upward pointing edges is optimally suited for areas that are difficult to reach, such as the undersides of rear spoilers. Compatible with prewash brush wooden handle 999459.

80x250 mm 999457

**Vorwaschbürsten-Holzstiel**

Sturdy wooden handle with aluminium-US thread. Compatible with prewash brushes 999457, 999460.

1400 mm 999459

Brushes

**Allrounder Brush**

The robust Vikan brush is suitable for rough work and ensures effective cleaning with its ergonomic shape.

17x130 mm 999488

Auto-Staubmop Profi

Ideal for display care of vehicles in showrooms, at fairs, etc.

90x630 mm 999071

Pinzel Innenraum

Metal-free interior brush with high-quality China bristles and plastic holder to prevent scratching.

40x225 mm 999453

Felgen- & Motorpinsel klein

Metal-free, acid-resistant rim and engine brush with high-quality natural bristles and plastic holder to prevent scratching.

50x420 mm 999452

Felgen- & Motorpinsel groß

Metal-free, acid-resistant rim and engine brush with high-quality natural bristles and plastic holder to prevent scratching.

75x450 mm 999451

**Lack-Hand-Bürste mit Gummikante**

Ergonomic Vikan hand brush with rubber lip to prevent damage to paintwork.

130x340mm 999226

**Felgenbürste, galvanisierter Faden**

Flexible Vikan rim brush with rubberised wire to prevent scratching. Suitable for all rim geometries thanks to its special shape.

30x130mm 999224

**Wheelbrush small**

The solid, acid-resistant Vikan wheelbrush cleans even hard-to-reach areas of the rim without effort thanks to its small, handy shape.

57x410mm 9998152

**Felgenbürste, VTS Polyesterborsten**

Solid, acid-resistant Vikan rim brush with a long handle. Ideal for precleaning in wash systems.

57 x 410 mm 999225

**Detail Wheel Brush**

The extremely robust and acid-resistant wheel brush for quick cleaning of all types of rims. The sturdy plastic bristles allow thorough cleaning. The rounded bristle heads and the plastic coating make the brush particularly gentle on the rim.

1 Stk. 9998157



Upholstery Brush

For effective cleaning of textile surfaces in the vehicle interior. The upholstery and textile brush from Vikan works perfectly on heavy soiling on hard-wearing textile surfaces and lies particularly well in the hand due to its ergonomic shape.

30x280mm 9998153



Interior Brush Set

The innovative brush set combines the usual high quality of our interior cleaning products with our specially developed brushes for interior cleaning. The set consists of three brushes, which thanks to their various application possibilities allow uncomplicated cleaning of the vehicle interior. For the easiest possible handling, the three brushes are colour-coded from each other. The red brush is ideal for cleaning the sill trims, foot pedals or for other rough work. The yellow brush is the right choice for finer work, such as cleaning the ventilation grille, and shines here especially due to its finer bristles. However, when it comes to particularly fine work, such as cleaning displays or piano lacquers, our green brush works with the necessary care due to its particularly fine bristles and thus ensures cleaning without the risk of scratches. Especially in combination with our products, such as the multi-purpose cleaner, interior cleaning becomes child's play.

1 Stk. 9998133



Leather Brush

The ergonomically shaped leather brush with KCX branding cleans both Alcantara and leather surfaces particularly gently and effectively due to the bristles made of horsehair.

1 Stk. 9998156



Nagelbürste

Extremely long-life Vikan nail brush. Ideally suited as well for brushing out lambswool polishing pads.

45 x 115 mm 999279



Flusen- und Hundehaarbürste

The ultimate solution for removing fluff and animal hairs from carpets and upholstery.

45 x 250 mm 999239

New!

The Fantastic Eight

The Towel System

Every towel a hero. Whether you need streak-free drying, easy buffing off or yet even application - our heroic towels save every situation. Superpowers in the blink of an eye!



Pro Drying Towel

The premium cloth for gentle and effective drying of paint surfaces after washing the vehicle. Extremely absorbent and gentle on paintwork due to the blend of fibers. Composition: 70% polyester microfiber + 30% polyamide microfiber; Weight in g/m²: 950; Construction: knitted; Size: 50 x 80 cm; Border: rounded corners.

50 x 80 cm 9998160

Allrounder Towel

Ideally suited for all work in professional vehicle preparation.

40 x 40 cm 999626

Pro Allrounder Towel

Due to its high absorbency, it is ideally suited for all activities in professional vehicle preparation.

40 x 40 cm 999627

Polish & Sealing Towel

The non-chainstitched undisputed number 1 among microfibre cloths with two differently structured sides. During ultrasound cutting the fibres are interlaced millions of times at the edge so that the cloth does not fray even after 50 machine washes. The unrivalled soft quality without fluff and silicone guarantees a perfect high-gloss finish without streaks and microscopic scratches.

40 x 40 cm 999241

Coating Towel & Application Towel

With the KCX application towel and the matching applicator block, our Ceramic Allround C0.02 ceramic coating can be easily applied to the vehicle paint. For the subsequent buffing out of sealing products, the KCX coating towel is the optimal towel.

40 x 40 cm 999619

10 x 10 cm 999620

Glass Towel

The perfect towel for streak-free cleaning and drying of glass. The unique weave guarantees excellent dirt loosening ability and streak-free drying in combination with Glass Cleaner or Allround Surface Gleaner. In combination with Glas Star the towel is also ideal for removing wax residues and greases. The 320g/m² heavy towel with its strong overlapped edge is very durable and allows repeated washing. The set contains 2 grey and 2 yellow towels (e.g. for wet-cleaning and drying).

40 x 40 cm 999363

Drying Towel

The absorbent cloth with waffle structure for fast and residue-free drying of paint, glass and plastic surfaces. After the use of a squeegee dryer a run-off shampoo or an automatic car wash one cloth is sufficient, in the case of very wet surfaces, work with two cloths.

440g/m². Set of 2 towels.

40 x 40 cm 999362



z. B.



z. B.



z. B.



z. B.



z. B.



z. B.

**Fine Fiber Towel**

Premium imitation leather cloth with high water absorption for fast and residue-free drying of glass, paintwork and plastic surfaces after washing vehicles.

54x44 cm **999059**

**Cotton Cloth**

Cotton cleaning cloths made from recycled cuttings suitable for many application areas in professional vehicle valeting. Shipping unit: 10 kg.

999061

**Tornado Towel**

Super-absorbent cloth for fast and residue-free drying of glass, painted and plastic surfaces after vehicle washing. Absorbs faster and up to 100% more water than traditional chamois and fine fibre cloths and is therefore a guarantee for fast working.

66x43 cm **999294**

**Brush Cover**

The brush cover is particularly gentle to the paint due to its high-quality microfibre and protects the surface from dirt particles due to a sewn-in mesh. A cord with elastic allows it to be securely attached to self-service washing brushes. The brush cover is both water and foam permeable and can be transported in the water-repellent protective pouch after use. Weight in g/m²: 640; Size: 30 x 15 cm

1 Stk. **9998169**

Sponges

**Applicatorblock Ceramic**

The Applicator Block is ideal for the effective application of our Ceramic Allround.

90 x 40 x 24 mm **999621**

**Waschschwamm**

Paintwork-protecting, tear proof and chemical-resistant washing sponge with high water and foam absorption capacity. A special foam composition makes the sponge extremely long-lasting and economical.

20 x 13 x 7 cm **999017**

**Fliegenschwamm hart, gelb**

Classic large pore insect sponge for cleaning windcreens, lamps, etc.

11 x 7 x 4 cm **999037**

**Schwamm weich, schwarz**

Handy soft sponge for applying plastic, rubber and leather care products, etc., and for manual finishing of 1K-Nano paintwork seal (1K).

12 x 10 x 5 cm **999038**

Handpolierschwamm Puck

The perfect application sponge for our Hand Wax W0.01, leather care or plastic care products

77 x 47 mm **999609**
 90 x 47 mm **999610**



Applikator-Schwamm für Kunststoffinnenpflege



Soft sponge for applying console and interior plastic trim care products. The special flat shape means that even areas that are difficult to reach (eg transition from console to windscreen) can be treated exactly.

10x8x3cm **999290**

Microfaser-Handpolierschwamm



Optimum pad for working with finishing and sealing products. Machine-washable.

12x9x4cm **999291**

Schmutzradierer 5er Pack



Abrasive, quick cleaning special sponge for removing stubborn stains and dirt such as rubber marks, ballpoint pen stains, tea and coffee stains, grease stains, chewing gum, tar stains, etc. from hard surfaces.

10x6x4cm **999328**

Cleaning and Protective Gloves/Mitts

Microfaser-Handschuh Oktopus Set



Special cleaning mitt with two differently structured sides. One side consists of the koi cloth material, the other of specially complex microfiber lamellas with high dirt and moisture absorption properties. Ideally suitable for cleaning vehicle interiors and final control of vehicle cleaning (polish residues, etc.). The long microfiber lamellas enable difficult to reach areas eg the area between the dashboard and the windscreen) to be easily accessed.

3 Stk. 23x17cm **999336**

Microfaser-Reinigungshandschuh



Mitt for cleaning upholstery, textiles and roof linings in vehicle interiors. The high dirt absorption capability guarantees thorough and careful cleaning (the fibres are not damaged).

27x19cm **999287**

Einweg-Nitrilhandschuhe extrem



Thin gloves (0.2 mm) made of nitrile rubber. Allergy free, food safe, oil and grease resistant and high tear strength.

Resistant also to hydrofluoric acid, solvents and hydrogen peroxide. Packing of 50 pieces (size L), 45 pieces (size XL).

Performance levels

n-Heptane: Class 4 (> 120 min.)
Sodium hydroxide 40%: Class 6 (> 480 min.)
Sulfuric acid 96%: Class 2 (> 30 min.)
Hydrofluoric acid 10%: Class 4 (> 120 min.)
Hydrogen peroxide 35%: Class 6 (> 480 min.)

Größe L 999533

Größe XL 999534



Einweg-Nitrilhandschuhe puderfrei

Thin gloves made of nitrile. Shipping unit: pack with 100 pcs.

L 999492

M 999491

S 999490

XL 999493



Latex-Handschuhe glatt

Natural rubber latex gloves with cotton lining for safe handling of liquids. Safety class AQL 4.0 (EN 374). Shipping unit: 1 pair.

7x 999173

10x 999116

Paper Rolls



Papierrolle blau, 3-lagig, 500 Blatt

The high-quality, layer-glued premium paper is manufactured specially for professional use. It enables smear- and fluff-free cleaning of windows, is extremely hard-wearing and absorbs liquids, grease and oil quickly and reliably. 60 g/m², Ø 33 cm/roll.

22x38 cm 999552

38x38 cm 999553



Poliertuchrolle Nowolin weiß

Soft, tear-resistant and lint-free disposable textile cloths made of natural viscose fibres. Nowolin is absorbent and solvent-resistant. The perforations guarantee simple and economic handling. 500 sheets. 70g/m².

29x38 cm

999556

Paper Roll Accessories



Bodenständer für Papierrollen

Premium floor stands for paper rolls up to 40 cm wide with maintenance-free tear-off edge.

90x46x44 cm

999064



Wandhalter für Papierrollen

Premium wall bracket for paper rolls up to 40 cm wide with maintenance free tearing edge.

31x50x23 cm

999069

Zylinderflasche 1 l für Sprühkopf

Premium 1 litre HDPE cylindrical bottle with volume and dilution scale. Compatible with Jumbo spray head (999003), Double Action spray head (999465) and Star spray head (999001). Thread: 28/400.

999063

Sprühkopf Star

Spray head with medium stroke (1.2 ml). Individually adjustable from needle jet to spray mist. Compatible with 1 l base (999063). Thread: 28/400.

999001

Foamer Bottle

The practical Foamer Bottle with 150ml filling volume is particularly suitable for time-saving and effective use of cleaning products e.g. Pol Star. This foam dispenser produces a dry, voluminous foam. The volume and dilution scale is used to mix the product in the optimum ratio.

9998145

Dosing Cap*Dosing cap for bottles*

The practical dosing cap perfectly fits Koch-Chemie bottle containers with a riser tube length of 270mm. Even smaller containers are no longer a problem after shortening the riser tube. With a total capacity of 20ml, the clear scaling in 5ml steps ensures the most accurate work possible. The Dosing Cap is filled effortlessly by compressing the bottle.

9998149

**DPZ Venus Super Foamer 2,0l**

Extremely robust foam sprayer for processing neutral and strongly alkaline products. Its 2l capacity makes it the perfect accessory for wash portals, self-service wash stations and hall cleaning. Use and foam alkaline pre-cleaners, rim cleaners and snow foams easily without issue. The foam pattern can be adjusted to suit the requirements using the 3 foam cartridges supplied. With EPDM seals.

999477

**DPZ Venus Super HD Acid line 1,5l**

The pump sprayer Venus Super HD Acid Line offers you a capacity of 2L and is very easy to fill from the outside. The product can not only produce a fine spray mist, but also a solid jet that hits directly the point of use. The Acid Line pump sprayer in the color red is especially suitable for acidic products. Due to the transparent display on the outside, you can always see how much content is still inside. This allows you to refill acidic products in time before they run out. The practical handle makes it easy to distribute the liquid. The nozzle at the front is adjustable between a fine spray mist and a spot jet.

999487

DPZ Venus Pro+ Super 360, 1,5l

Extremely sturdy pressure pump for use with neutral and alkaline products. Due to the flexible hose it can be used in turned position up to 180° (for example to spray headliners, wheel rims). With adjustable nozzle which allows for adjusting the liquid flow and edasy changeable Viton seals.

999470

DPZ Profi alkaliensbeständig, 1,5l gelb

Sturdy pressure pump vaporiser for use with neutral and alkaline products. Individually adjustable from point jet to spray mist. Operating pressure: 4 bar. Max. filling quantity: 1.3 l.

999547

DPZ Hobby alkaliensbeständig, 1 l gelb

Pressure pump vaporiser for use with neutral and alkaline products. Individually adjustable from point jet to spray mist. Operating pressure: 3 bar. Max. filling quantity: 0.9 l.

999546

DPZ Hobby lösungsmittelbeständig, 1 l rot

Pressure pump vaporiser for use with solvent-based products such as Fleckenwasser (Fw), Plast Star siliconölfrei (Pss), etc. Individually adjustable from point jet to spray mist. Operating pressure: 3 bar. Max. filling quantity: 0.9 litre

999544

Oberteil für DPZ lösungsmittelbeständig

Replacement part for the DPZ Profi solvent-resistant, 1 l red.

999111

Oberteil für DPZ Profi alkaliensbeständig, gelb

Replacement part for the DPZ Profi alkali-resistant, 1.5 l yellow. Compatible as well with the bottom part of the DPZ Hobby.

999112



Sprühgerät Orion pro + 6l

Alkali-resistant spray. The Viton sealing rings (available as spare parts) are easy to replace.

999462



Vorsprüheinrichtung

Wall sprayer with 15 meters of hose. Complete with lance (60cm), flat jet spray head and CA system separator. The wall sprayer is connected directly to the water supply and automatically dilutes alkaline cleaning agents, such as pre-cleaners with the water during operation. The operating pressure of the unit is between 2 and 6 bar. For easy change of lances, a quick coupling is installed between the gun and the hose.

999589



Sprühgerät SG 700, befüllbare Alu-Spraydose

The SG 700 is the environmentally-friendly refillable spray can for pH-neutral and solvent-based products such as brake cleaners, Fleckenwasser, Quick & Shine, etc. Application: fill product, screw spray head tight and fill with air using the car valve. Optimum operating pressure: 7.5 bar. Maximum filling level: 500 ml.

999083

Pumps

Doppelmembranpumpe G 56 für alkalische Reiniger (Set)

Long lasting Double-diaphragm dosing pump for alkaline cleaners. Capacity up to 26.5 Liter/min. Runs with compressed air max. 8,3 bar. Membrane: Santopren. Valves: EPDM; Set consists of:

- 1x 999437 Double-diaphragm dosing pump
- 1x 999438 Air pressure controller
- 1x 999409 PE hose 6x8mm 50m
- 2x 999497 Clamp 7-9mm stainless steel
- 1x 999500 Spout for air connection
- 2x 999499 Connection for air pressure controller
- 1x 999443 Fabric tube 9x13 25m
- 1x 999439 Foot valve
- 4x 999498 Hose clamp 10-16mm stainless steel; Optional available (not in the set)
- 999419 Lanze PVC 600 mm
- 999356 Promax 4 L

999436



Membrandosierpumpe Iwaki EWN-B11VCER

Long-life wash system diaphragm dosing pump with stroke frequency and stroke length setting for foam, shampoo, dryer, wax, flocculants, etc. Delivery: 2,3 l/h. 1 - 360 strokes per minute. Delivery pressure: 10 bar.

999384



Schlauchpumpe 4l/h

Sturdy, self-deflating hose pump (wall-mounted) for dosing water disinfectants, flocculants, in the chain shaft, sludge trap, water reservoir, etc. Not suitable for injecting products into a pressure line! Maximum delivery: 4 litres/hour. Injection bee (999414) is available separately.

999456



Fußventil für Membrandosierpumpe Iwaki

Prevents the product suction hose from running empty (air bubble formation).

999381

Fasspumpe PCP 250

Hand pumps with 1.2 m hose for removing acid, neutral and alkaline products from drums. Not suitable for hydrocarbons! Delivery per stroke: 0.25 l. Suction tube length: 840 mm. For G 2"

999098

Adapter für Fasspumpe PCP 250

The drum pump adapter from G 2" thread to 200 l plastic drum thread.

999099

Proportional Dosers**Promax Dosierer, 4 l/min, Flaschenbefüllung**

Sturdy proportional doser (wall mounting) for filling 1 litre bottles and other spray bottles with glass cleaner, interior cleaner, etc. Depending on the presetting, the venturi principle enables a broad range of dilution ratios to be generated reliably and always consistently. Any number of Promaxes (for different products and/or mixing ratios) can be switched in series with just one water connection. This system prevents the material wastage that frequently occurs on premixing by hand, and is therefore extremely economical. With water pressure fluctuations/water hammers we recommend the installation of a pressure reducer. Suitable for acidic, neutral and alkaline products. Output: 4 litres/minute, mixing ratios: 1:4 - 1:150.

999359

Promax Dosierer, 4 l/min, Schlauch und Druckschalter

Sturdy proportional doser with hose and pressure switch (wall mounting) for filling floor cleaning machines and similar with workshop floor cleaners, etc. For further information see Promax, 4 l/min, bottle filling. Suitable for acidic, neutral and alkaline products. Output: 16 l/minute, Mixing ratio: 1:8 - 1:1000.

999356

Promax Dosierer, 4 Produkte, 4 l/min, Druckschalter

Variation of the Promax doser, 4 l/min, hose and pressure switch for simultaneous mixing of up to four products.

999365

Promax Dosierer, 16 l/min, Schlauch und Druckschalter

Sturdy proportional doser with hose and pressure switch (wall mounting) for filling floor cleaning machines and similar with workshop floor cleaners, etc. For further information see Promax, 4 l/min, bottle filling. Suitable for acidic, neutral and alkaline products. Output: 16 l/minute, Mixing ratio: 1:8 - 1:1000.

999357

Lanze PVC 600 mm komplett

Lightweight handy pre-spray lance for all alkaline media. Used optimally with a Dosatron or similar dosing device (no Venturi principle) in low-pressure operation. Including 10 mm and 13 mm hose nozzle, flat spray jet 1.1 mm outlet with 110° spray angle.

600 mm 999419

Dosatron D3 RE 10 AF

Proportional doser for producing ready-to-use precleaner solutions. Optimally suited for operating low-pressure lances (eg PVC 600 mm lance, 999419). Thanks to a patented mechanism (no Venturi principle) the same dilution is produced even with fluctuations in the water pressure. This system prevents the material wastage that frequently occurs with manual premixing and is therefore extremely economical. With water hammers (same water supply pipe with high-pressure appliances or carwash) we recommend the installation of a pressure reducer. Suitable for neutral and alkaline products. Dosing range: 1 – 10%. Operating pressure: 0.5 - 6 bar. Water throughflow: 10 l/h - 3000 l/h.

999341

Dosatron D07 RE 5 AF

Proportional doser for producing ready-to-use precleaner solutions. Optimally suited for operating low-pressure lances (eg PVC 600 mm lance, 999419). See Dosatron D3 RE 10 AF for more details. Suitable for neutral and alkaline products. Dosing range: 0.8 – 5.5 %. Operating pressure: 0.3 - 6 bar. Water throughflow: 5 l/h - 700 l/h.

999442

**HD-Pistole M22 A**

Ergonomic high pressure gun with quick-lock coupling. Compatible with high pressure foam gun (999351), high pressure lance 15° angle (999352), high pressure lance Push & Pull (999505), high pressure lance straight (999506) und high pressure hose (999507).

999354

**HD-Lanze 80 cm Edelstahl, gerade**

High pressure lance, stainless steel with quick-lock coupling. Due to its shortage and straight form ideal for the permanent and ergonomic use in car washes and other constricted rooms. Compatible with high pressure gun M22 A (999354) and high pressure nozzle 1/4 (999355).

80 cm 999506

**HD-Schlauch premium, grau 10m**

Reinforced and abrasion-proof high pressure hose with manual screw connection. Compatible with high pressure gun M22 A (999354).

10 m 999507

**HD-Lanze 100 cm Edelstahl, 15° abgewinkelt**

High pressure lance, stainless steel with quick-lock coupling and a 15° angle. Due to its special form ideal for utility vehicles. Compatible with high pressure gun M22 A (999354) and high pressure nozzle 1/4 (999355).

100 cm 999352

**HD-Lanze Push & Pull**

High pressure lance with quick-lock coupling and adjustable angle for perfect cleaning results of rocker rails and wheel guards. Compatible with high pressure gun M22 A (999354) and high pressure nozzle 1/4 (999355).

100 cm 999505

**HD-Schaumkanone mit 2-Liter-Behälter**

Optimally suited for foaming high foaming neutral and alkaline cleaners and conservers. The cleaning performance is clearly intensified through the stable foam, and thus a longer contact time. Easy to use thanks to the quick change between foam gun and lance with the quick release fastener. Compatible with high pressure gun M22 A (999354).

999351



Scheibenwischer-Schutzhüllen

Premium protective sleeves for windscreen wipers, in bundles of 50, with holes for hanging up. Perforated for tearing off individually. Shipping unit: pack of 3.000

750x100 mm 999333



Saugnapfe

Suction cups made of elastic plastic with a long web for fixing windscreen wipers and filler caps. Shipping unit: pack of 50

110x13 mm 999349



Nass- und Trockentuch

Wet and dry cloth for cleaning and then drying windows after application of a protection product in the carwash. Shipping unit: pack of 500.

999090



Kombi pH- und Leitwert-Messgerät

Hanna pH and mineral content meter for comfortable checking of service water, waste water, fresh water, etc. Including the following solutions: storage solution (keep measuring sensor moist) and three calibration solutions (pH 7, pH 10 and conductance).

999343



Washstrassendosierbehälter, 60 l

Cylindrical transparent PE container with volume scale and screw cap for use with carwash products. Volume: 60 l.

640xØ 420 mm 999347

Waschanlagen-Nachfüllkanne, 10l



Transparent screw-top refilling can for filling gantry containers. The containers can remain in the installation, which means that if they are refilled in time there is no need to vent the dosing pump. Also optimally suited for filling coolant and antifreeze windscreen washer, etc. Volume: 10 l.

999238

Messbecher, 2l



Practical graduated jug with volume scale (unit 20 ml) for measuring and pre-dilution of cleaning concentrates, etc. Volume: 2 l.

999136

Messzylinder, 500 ml



Practical measuring cylinder volume scale (unit 5 ml) for exact dosing of high-concentrates and exact measuring of washing chemicals consumption.

999106

Impfbiene



Dosing valve for flocculants for carwashes. With underfloor injection (eg chain shaft), the dosing valve prevents the canister from running dry (siphoning principle).

999414

Eimer, 18l



Sturdy rectangular plastic bucket with volume scale. Volume: 18 l

999288

Bucket Labels



For process reliability during vehicle washing. The set includes one sticker each „Rinse“, „Wash“ and „Wheels“ sealed in a polybag. Permanently adhesive stickers with protective lacquer.

3 Sticker 9998107

Auslaufhahn

For clean, safe and economical dispensing from plastic canisters. All compatible with reducer for tap (999175).



- for 5l canister 999032
- for 10/30l canister 999131
- for 60l canister 999132
- for 200l 999133

Reduzierstück für Auslaufhahn

For filling 1 litre bottles, spray bottles, etc.



999175

Kanisteröffner Dreifachschlüssel

Practical canister opener for easy opening of 5, 10 and 30 litre canisters.



999094

Waste Water Set

Abwasserkoffer Profi

Waste water set profi including oil level float gauge, measuring tape with carabiner, sample taking cup, and pH test stripes. All parts are also available as spare parts.



999480

Waste Water Accessories

Probeentnahmegläser 500 ml



Screw-top container for sending water samples.

999211

Messwertsteifen Wasserhärte



Pack of 100

8004

pH-Messwertstreifen



Pack of 100

8003

Various

Dräger Halbmaske X-Plore 4740 TPE Größe M/L



The robust half mask for highest demands with excellent wearing comfort and first-class seal fit. A wide range of filters against gases, vapors and particles makes it ideal for use in industry and trade.

The combination of soft mask body, specially shaped nose area and sturdy plastic housing ensures an exact fit, high sealing fit and almost pressure-free wearing.

By simply opening the neck closure, the mask can be removed without having to take off the helmet, for example. When the mask is in the 'ready position', it remains with the inside against the body and is thus protected from contamination. The mask is made of durable, chemical-resistant material and can be worn well under many types of helmets. The EH strap is made of neoprene and is therefore very easy to clean.

- The mask is supplied without a filter!

999528

Dräger Kombinationsfilter 940 A2B2E2-K1-P2 R D



Combination filter with standard threaded connection Rd40 according to EN148-1. Whether in the chemical or automotive industry, in shipbuilding, in metal working and processing, in supply and disposal, Dräger respiratory protection filters have been synonymous with experience and safety worldwide for decades.

Combination filter with standard threaded connection Rd40 according to EN148-1 for use with half masks Xplore 4000 and full face masks Dräger X-plore 6000.

The filter is suitable for the mask we offer „Dräger Halbmaske X-Plore 4740 TPE Größe M/L“ Art. No.: 999528.

Read instructions for use before use.

999529

Feinstaubmaske 3M- 9312



Mask for protection against particles/fine dust with exhalation valve (minimises heat and moisture formation under the mask). Class: FFP1. Limit of use: 4 x WEL for particles. Packed individually and hygienically.

999326

Highlight the Headlight.



The Headlight Polish Set gives yellowed, matt headlights a clear view again. With our perfectly coordinated polishes and pads, an optimal surface is created in just two steps. The branded black plastic case contains sanding papers of different grain sizes, a hand block with Velcro for manual sanding, Headlight Polish 1 and Headlight Polish 2 with sealing component as well as three matching pads. The included Thermo Pad allows a good control over the temperature development of the material during processing, as the colour change of the pad serves as an indicator due to its thermochromic property. A total of 50 spotlights can be processed with the Headlight Polish Set. All components can be purchased separately.

before



after



Headlight Polish Set



9998185

Set contains:

- 406250 250 ml Headlight Polish 1
- 407250 250 ml Headlight Polish 2
- 999577 Heavy Cut Pad 76 x 23 mm
- 999274 Lambskin Pad 80 mm
- 999602 Thermo Pad 76 x 23 mm
- 999603 Abralon sandpaper 1.000 grit
- 999250 Abralon sandpaper 2.000 grit
- 999251 Abralon sandpaper 4.000 grit
- 999604 Hand block with velcro for sandpaper

Glasschaber Metall mit Griff

Sturdy and comfortable glass scraper with safety cap for fast removal of stickers on glass sheets, windows etc. Adhesive residues can then be removed without too much effort with Orange Power (Op), Eulex (Eu) or Eulex M (Eum).

Glasschaber **999412**
Ersatzklingen 10 Stk. **999413**

Glasschaber Metall

Glass scraper with insertable blade for fast removal of stickers on glass sheets and windows. Adhesive residues can then be removed without too much effort with Orange Power (Op), Eulex (Eu) or Eulex M (Eum).

Glasschaber **999091**
Ersatzklingen 5 Stk. **999092**

Scraper

A plastic scraper for optimally removing film and adhesive residues on coated surfaces, wood and plastics. Before using on sensitive surfaces and finishes, test it on an area that is not visible. We recommend our glass scraper with metal blades for stubborn residue on windscreens. Shipping unit: One holder with 10 replacement blades.

9998109

Folienradierer Ø 87 mm

Vinyl remover for removing foil, stickers, etc. on paintwork, glass and metal with a drill. Adhesive residues can then be removed without leaving residues with Orange Power (Op), Eulex (Eu) or Eulex M (Eum). Drill adapter available separately.

Folienradierer **999306**
Bohrmasch. Adapter **999307**

Felgenlackierschablone

Infinitely adjustable rim painting stencil to prevent spray mist on tyres and surrounding bodywork parts. Available in two sizes (car and truck).

für PKW bis 17" **999078**
für LKW bis 29" **999082**

Wandhalter für Fußmatte und Sitzschonbezug

Premium wall bracket for paper rolls up to 40 cm wide with maintenance free tearing edge.

999417

Sitzschonbezug PE weiß, Rolle à 500 Stk.

Protective seat cover to avoid dirt.

135x80 cm **999415**

**Fußmatte Krepp beige, Rolle à 500 Stk.**

Foot mat insert to prevent dirt.

50x38 cm **999416**

**Eimer, 18 l**

Sturdy rectangular plastic bucket with volume scale. Volume: 18 l

999288

**Bucket Labels**

For process reliability during vehicle washing. The set includes one sticker each „Rinse“, „Wash“ and „Wheels“ sealed in a polybag. Permanently adhesive stickers with protective lacquer.

3 Sticker **9998107**

**Politurflasche, 500 ml**

The extra narrow polish bottle fits perfectly into the pockets of all work trousers. Volume: 500 ml.

999137

**Oil Dry - Ölbindemittel grob**

The perfect binding agent for wiping up oil, acids and other liquids. Spread a sufficient amount over the contaminated area, wait for a short time and then sweep up. 20 kg sack.

999057





Masking Tape

Residue-free, high-quality adhesive tape for practical division of the surface to be protected. Allows particularly precise work and easy removal.

19 mm	9998158
25 mm	9998159



Kapsel-Gehörschutz

The uvex K2 earmuffs in black, yellow with the Koch-Chemie branding. As part of the occupational safety equipment, the hearing protection meets the EN 352-1 standard with 32 decibel insulation. Thanks to the soft surface and memory foam ear cushions, the earmuffs are easy to mould and guarantee a comfortable fit even when worn for long periods. The headband is also padded. Its low weight and compact size contribute to the wearing comfort. The perfect wearing position can be found by the easy-to-use length adjustment.

999606



Private Customers

- 6.1 Private Customers
- 6.2 Advertising Material for Private Customer Range
- 6.3 Ceramic Allround
- 6.4 1K-Nano



As the market leader for professional vehicle reconditioning products, we decided in 2010 to make our professional quality available to private car care enthusiasts due to multiple requests. You can now offer your customers a coordinated range of products. Unique product quality, high-quality product design, a durable sales display, the professional image of the brand and your enthusiasm guarantee satisfied customers and high sales.

Digital product images, logos and banners for your website can be found on our website: www.koch-chemie.com/en/products/advertising-material



NanoMagicShampoo

The Nano-Shampoo
750 ml 77702750

Unchallenged high-tech shampoo to thorough gloss cleaning and long-term protection in a single step. Previously applied waxes and seals are preserved. The unique combination of care components leaves behind a long-lasting protective and water-repellent nano-layer.

- High-gloss
- Long-term seal
- Nano-protection
- Active maintenance of value

ReactiveWheelCleaner

The Rim Cleaning Gel
750 ml 77704750

Reactive, acid-free rim cleaner with performance indicator (red indicator) and gloss additives for thorough and careful cleaning of high-quality rims. Powerful dirt carriers disperse and dissolve stubborn dirt. With gloss and lotus effect.

- Acid-free
- Performance indicator
- Extra strong
- Gloss additives

SpeedGlassCleaner

The Glass Cleaner
750 ml 77703750

Ready-to-use glass cleaner for all smooth surfaces on vehicles, buildings, etc. Effortlessly removes the most stubborn dirt including oil, grease, insects and similar. Runs off quickly without streaks and its gloss and smoothness additive improves the wiping effect of the cleaning cloth. With fresh fragrance.

- Streak-free
- Surface conserver
- Extra fast



MultInteriorCleaner
The Interior Cleaner
750 ml 77705750

Removes heavy dirt from upholstered seats, fabric covers, roof linings, floors, plastic trim, etc., thoroughly and gently. Dirt is removed from deep in the pores and a fresh fragrance radiates throughout the vehicle interior.

- Enormous cleaning power
- Fresh fragrance
- Universal use



Insect&DirtRemover
The Insect & Dirt Remover
750 ml 77701750

Removes even the most stubborn debris from dead insects, oil and other environmental dirt from the outside of the vehicle and the engine bay. High-quality innovative ingredients penetrate into the dirt and enable fast, thorough and careful cleaning.

- Fast acting
- Long-lasting
- Completely clean



NanoMagicPlastCare
The Exterior Plastic Care
500 ml 77707500

Maintains and protects all external plastic parts (trim, rubber, etc.). The treated parts regain their original, new appearance and are protected against damaging environmental factors. The premium product for professional vehicle care with unmatched durability.

- Deep care
- Extremely long-lasting
- Nano-protection



ShineSpeedPolish
The High Gloss Polish
500 ml 77710500

Profi polish for a unique high gloss finish. Maintains and conserves in a single step and protects durably against aggressive environmental factors. Creates a perfect gloss with all paint types by hand or with a machine.

- High gloss polish
- Long-term protection
- Simple buffing



ProtectLeatherCare
The Leather Care
500 ml 77709500

Premium emulsion for the care of all leather parts. Creates a colour-refreshing sleek result and intensifies the incomparable smell of leather. Provides all types of leather with the necessary care and a pleasantly soft feel.

- For all types of leather
- Inimitable fragrance
- Smooth feel



AllroundQuickShine
The Finish Spray
500 ml 77708500

The AllroundQuickShine multi-purpose, cleans, maintains and conserves all smooth and painted surfaces (paintwork, glass, plastics, furniture, etc.). Ideal as dashboard care and for after-treatment of paintwork and glass surfaces after washing, as well as a quick-action finish. Creates a clean and glossy surface in just one step. Previously applied veneers or waxes are preserved.

- Perfect finish
- Cleans and conserves
- Universally usable



RefreshCockpitCare

The Satin Cockpit Care
500 ml 77706500

Cleans, maintains and preserves all plastic parts in the vehicle interior. Gives a long-lasting new appearance and protects against new dirt. Protects against UV radiation and creates a pleasant fragrance.

- Deep-cleaning care
- UV protection
- Antistatic ingredients



AllroundQuickShine

The Finish Spray
140 ml 26714032

Unsaleable sample as give-away at the car wash (e.g. to the Premium Program), after a service in a car dealership or reprocessing. Ideal form of advertising for the private customer range.

32 pcs. / carton



SpeedGlassCleaner

The Glass Cleaner
140 ml 26614032

Unsaleable sample as give-away at the car wash (e.g. to the Premium Program), after a service in a car dealership or reprocessing. Ideal form of advertising for the private customer range.

32 pcs. / carton



Sticker

DIN A5 (21 x 14,8 cm).
Material plastic.

for program board at car wash or similar for advertising the sample bottle AllroundQuickShine.



Poster

Plastic (for inside and outside)
DIN A3 999857



Sticker

Plastic (inside and outside)
DIN A5 999859

Sales display

Cardboard cutout with three trays,
scanner rails and nylon feet.



40 x 150 x 31cm 9998180

Free loan when purchasing one sales unit
of the private customer products.



Flyer

350 g/m2 paper
Special colour silver
21 x 10,5 cm 999858



Website

As a full-range supplier, we would be happy to include your company in the list of dealers on our website. This way you can reach potential customers and increase your sales.

The Paint Bodyguard



Ceramic Allround C0.02: The Protective Vest for Surfaces

A long-lasting protective layer that shields the surface from environmental influences: This is what the first ceramic sealant in Koch-Chemie's product portfolio promises. With Ceramic Allround C0.02, we now offer a high-quality ceramic sealant, which optimizes and permanently protects surfaces with little effort. The ceramic coating contributes significantly to maintaining or increasing the value of the vehicle.

The Ceramic Allround ceramic coating requires expert preparatory work, which is only possible with technical application know-how and professional products and machines. Therefore, Ceramic Allround is not suitable for private customers. The target group is vehicle enthusiasts who want long-lasting protection of 18-24 months for their car. You can retain your customers by the specified aftercare with hand wash and Hand Wax W0.01 as well as the annually recommended paint inspection and thus build up a sustainable business.



Ceramic Allround

Ceramic Coating

506001

Set includes

- 506075 Ceramic Allround C0.02 (75ml)
- 999621 Applicator block (1 pcs.)
- 999620 Applicator cloth microfiber 10x10 cm (5 pcs.)
- 999619 Special microfiber cloth grey 40x40 cm (1 pcs.)
- 9998049 Certificate for ceramic coating (5 pcs.)
- 9998050 Door entry sticker for ceramic coating (5 pcs.)




Ceramic Allround Poster

DIN A1, 135 g/m² paper


9998047 German

9998048 English



Ceramic Allround Flyer

Product explanation for advertising. Can be customized by means of inkjet printer or stamp with your logo or similar. 4-sided, A4 (29.7 x 21.0 cm) 9998052



Door rebate sticker for ceramic coating

Sticker for the door rebate for noting the sealing date. Can be labeled. 5 x 5 cm 9998050

Ceramic Allround Certificate

Special color silver, inscribable and stampable certificate with inspection dates for customer loyalty. 8,6 x 14,8 cm folded 14,8 x 14,8 cm open

GIB DEINEM AUTO-ZUKUNFT.

Die LANGZEIT NANO Versiegelung



KochChemie 1K-Nano

- Highly reactive long-term protection
- Excellent gloss and smoothness
- Easy-to-clean surface
- Extremely resistant to chemicals, UV and abrasion
- Minimization of traces of use
- Active value conservation

In practice, the 1-component nano paint sealant has proven to be unbeatable in terms of durability and gloss level. Due to covalent bonds, it bonds permanently to the paint structure and forms a solid, chemical-resistant

network. This creates the long-term effect and the incomparable deep gloss. To date, over 50,000 vehicles have been permanently sealed with 1K-Nano. Regular aftercare with NanoMagicShampoo (hand wash) or NanoMagic

Twin Wax (car wash) and the recommended annual paint inspection can extend the durability to up to three years. In this way you can retain your customers and generate a profitable after-sales business.

The 1K nano paint sealing requires expert preparation, which is only possible with application knowhow and professional products and machines. Therefore the product is not offered in retail trade. The target group is car enthusiasts who want the best and most durable protection for their car.



1K-Nano Set

- 1K-Nano Preparation Set
Consisting of 250 ml sealant (for about 3 - 5 cars)
75 ml dosing bottle
Application sponge
5 certificates
5 flyers
5 Stickers: Koch-Chemie 1K-Nano sealed.
245001



1K-Nano Poster

- 1K-Nano Poster Landscape format
Plastic (also for outside) Screen printing
(very colourfast and weather resistant)
DIN A0 **999865**



1K-Nano Flyer

- 300 g/m² Paper, special colour silver
Product explanation for advertising and appointment reminder (field for sealing appointment). Can be printed individually with your logo or similar using an inkjet printer or stamp.
17,2 x 14,8 cm **999875**




1K-Nano Certificate

- Special colour silver, can be inscribed and stamped Certificate with inspection dates, product advantages and care instructions for customer loyalty.

- 8,6 x 14,8 cm folded
17,2 x 14,8 cm open
250 g/m² paper

Kunden-Name
Telefon-Nr. Kunde
Fahrzeugfabrikat/Modell
Kennzeichen
Verarbeitungsdatum
Stempel Ihres Fachbetriebes

Koch-Chemie GmbH
Einsteinstraße 42
59423 Umma /Germany
Tel: +49 23 03 - 98 67 00
www.koch-chemie.de



Koch-Chemie GmbH
Einsteinstraße 42 / D-59423 Unna

T +49-23 03-9 86 70-0
info@koch-chemie.com / www.koch-chemie.com

Fotografie

Robert Hoernig — www.roberthoernig.com, Dortmund
Steffen Schulte-Lippert — www.studio-steve.de, Lüdenscheid

Design und Umsetzung

David&Goliath — www.davidundgoliath.com, Lüdenscheid